



And God said Let us make man in our Image after our likeness,  
and let them have Dominion over the fish of the Sea, and over the fowl  
of the air, and over the cattle, and over all the Earth, and  
over every creeping thing that creepeth upon the Earth.



83771

A  
DESCRIPTION  
OF ABOVE  
THREE HUNDRED  
ANIMALS,

VIZ.

BEASTS, BIRDS, FISHES, SERPENTS, AND INSECTS.

WITH A PARTICULAR ACCOUNT OF THE MANNER OF  
CATCHING WHALES IN GREENLAND.

Extracted from the best AUTHORS, and adapted to the Use of all  
Capacities.

ILLUSTRATED WITH COPPERPLATES.

Whereon is curiously Engraven every BEAST, BIRD, FISH, SER-  
PENT, and INSECT, described in the whole Book.

---

"For every Beast of the Forest is mine, and the Cattle upon a  
"thousand Hills. I know all the Fowls of the Mountains, and  
"the wild Beasts of the Field are mine." Psal. l. 10, 11.

---



LONDON:

PRINTED FOR A. MILLAR, W. LAW, AND R. CATER; AND  
FOR WILSON, SPENCE, AND MAWMAN, YORK.  
*Anno 1795.*

Ch. 790/174.



# THE CONTENTS.

## I. *Of Beasts.*

	<i>Page</i>		<i>Page</i>
<b>L</b> ION and Lions	2	Bison	38
Jackall	<i>ib.</i>	White Scottish Bison	<i>ib.</i>
Panther and Leopard	3	Camelopardel	39
Tiger	<i>ib.</i>	Rein-Deer of Lapland	<i>ib.</i>
Ounce and Rompo	6	Hare and Rabbit	42
Buffalo	<i>ib.</i>	Mole	<i>ib.</i>
Bull, Cow, and Ox	7	Bloodhound	43
Horse, Ass, and Mule	10	Water-spaniel	<i>ib.</i>
Bear and Ant-Bear	11	Land-spaniel	<i>ib.</i>
Wolf	<i>ib.</i>	Dog	<i>ib.</i>
Rhinoceros	14	Mastiff-Dog	46
Unicorn	<i>ib.</i>	Bull-Dog	<i>ib.</i>
Fox and Raccoon	15	Greyhound	<i>ib.</i>
Sagoin and Berbe	<i>ib.</i>	Otter and Beaver	47
Lamia and Elke	18	Sea-Horse	50
Allocamiellus	<i>ib.</i>	Mountain-Cow	<i>ib.</i>
Sheep and Strepsiceros	19	Civet Cat	51
Ibex and Musmon	<i>ib.</i>	Gennet Cat	<i>ib.</i>
Lynx and Camelon	22	Pole Cat	<i>ib.</i>
Roe-Buck and Hart	23	Common Cat	<i>ib.</i>
Stag	<i>ib.</i>	Mice and Rat	54
Wild-Boar and Sow	26	Musk Rat	<i>ib.</i>
Ape and Bear Ape	27	Land Tortoise	<i>ib.</i>
Fox-Ape	<i>ib.</i>	Wild Goat	55
Baboon and Monkey	30	Goat	<i>ib.</i>
Hyena and Manticora	31	Elephant	<i>ib.</i>
Antelope	<i>ib.</i>	Oppossum and Potto	59
Porcupine and Badger	34	Coati-mondi	<i>ib.</i>
Hedge-Hog	<i>ib.</i>	Tatus	<i>ib.</i>
Camel and Dromedary	35	Squirrel and Weefel	62



# CONTENTS.

Lizard and Ferret	63	Crocodile	66
Martin	<i>ib.</i>		

## II. Of Birds.

	Page		Page
<b>G</b> OLDEN Eagle	68	Ox-eye Creeper	93
Sea Eagle	<i>ib.</i>	Peacock	96
Black Eagle	69	Turkey	<i>ib.</i>
Eagle called Morphnos	<i>ib.</i>	Common Cock	97
Vulturine Eagle	<i>ib.</i>	Pheasant	<i>ib.</i>
Moor Buzzard	72	Partridge and Quail	100
Goshawk	<i>ib.</i>	Ostrich & Cassowary	101
Sparrow Hawk	<i>ib.</i>	King-fisher & Hoopoe	104
Kite	73	Bee Eater	<i>ib.</i>
Mountain Falcon	<i>ib.</i>	Water Ouzel	<i>ib.</i>
Red Indian Falcon	76	Turtle Dove	105
Great Butcher-Bird	<i>ib.</i>	Stock Dove	<i>ib.</i>
Merlin	77	Tame Pigeons	<i>ib.</i>
Honey Buzzard	<i>ib.</i>	Stare and Ring Ouzel	108
Vulture	80	Black Martin	<i>ib.</i>
Buzzard	<i>ib.</i>	Martin	<i>ib.</i>
Little Butcher-Bird	81	Swallow and Redstart	109
Cuckow	<i>ib.</i>	Robin-Red-Breast	112
Raven	84	Larks	<i>ib.</i>
Carrion Crow	<i>ib.</i>	Blackbird	113
Rook and Jackdaw	85	Redwing	<i>ib.</i>
Magpie	<i>ib.</i>	Fieldfare	<i>ib.</i>
Jay & Toucanian Pie	88	Mistle Bird	116
Roller	<i>ib.</i>	Song Thrush	<i>ib.</i>
Common Parrot	89	Wood Lark	117
Horn Owl	92	Crested Lark	<i>ib.</i>
Grey Owl	<i>ib.</i>	Nightingale	<i>ib.</i>
Common Owl	<i>ib.</i>	Ring Parrakeet	120
Fern Owl	<i>ib.</i>	Foolish Sparrow	<i>ib.</i>
Woodpecker	93	Common Sparrow	<i>ib.</i>
Nuthatch	<i>ib.</i>	Bullfinch	<i>ib.</i>
Wall Creeper	<i>ib.</i>	Goldfinch	121

# CONTENTS.

66	Common Linnet	Page 121	Wigeon	Page 133
	Red-headed Linnet	ib.	Knot	ib.
	Yellow Hammer	ib.	Ruff	136
	Water Wagtail	ib.	Brasilian Tamatia	ib.
	Canary Bird	ib.	Coot	ib.
	Crane	124	Snipe	137
Page	Balearic	ib.	Godwit	ib.
93	Wren	125	Curlew	ib.
96	Titmice	ib.	Common, or white	
ib.	Long tailed Indian		Stork	140
97	Sparrow	ib.	Spoon-bill	ib.
ib.	Virginian Nightingale	128	Woodcock	ib.
il 100	Black Cap	ib.	Green Plover	141
ry 101	Humming Bird	ib.	Grey Plover	ib.
po 104	Common Heron	129	Dottrel	ib.
ib.	Lesser ash-coloured		Common Moor-hen	ib.
ib.	Heron	ib.	Teal	144
105	Bittern	ib.	Pelican	ib.
ib.	Red-shank	132	Cormorant	ib.
ib.	Lapwing	ib.	Shag	145
zel 108	Tame Swan	ib.	Cornish-cough	ib.
ib.	Tame Goose	133	Scarecrow	ib.
ib.	Tame Duck	ib.	Cock	ib.
art 109				
t 112				
ib.				
			</	

## III. Of Fishes.

	Page		Page
<b>W</b>			
HALE	148	Sun Fish	159
Shark	154	Sea Adder	ib.
Pilot Fish	ib.	Father Lasher	ib.
Remora	ib.	Miller's Thumb	ib.
Dolphin	155	Sea Fox	162
Flying Fish	ib.	Monk Fish	ib.
Sheat Fish	158	Turbot	ib.
Sea Wolf	ib.	Sword Fish	163
Butterfly Fish	159	Sea Unicorn	ib.
Trumpet Fish	ib.	Picked Dog	166

## CONTENTS.

	<i>Page</i>		<i>Page</i>
Porpessè	166	Lady Fish	177
Sturgeon	167	Pike	<i>ib.</i>
Haddock	169	Tobacco-pipe Fish	178
Whiting	<i>ib.</i>	Horn or Gar Fish	<i>ib.</i>
Ling	<i>ib.</i>	Anchovy	<i>ib.</i>
Grayling	170	Old Wife	<i>ib.</i>
Salmons	<i>ib.</i>	Cavallo	<i>ib.</i>
Gilt Charre	173	Carp	<i>ib.</i>
Salmon Trout	<i>ib.</i>	Mackrel	181
Trout	<i>ib.</i>	Herring	<i>ib.</i>
Plaife	174	Sprat	<i>ib.</i>
Dab	<i>ib.</i>	Smelt	182
Flounder	<i>ib.</i>	Pogge	<i>ib.</i>
Sole	<i>ib.</i>	Sea Gudgeon	<i>ib.</i>
Cod Fish	<i>ib.</i>	Lump, or Sea Owl	<i>ib.</i>
Silver Fish	177	Bream	<i>ib.</i>
Gold Fish	<i>ib.</i>	Sea Tortoises	185

---

### IV. Of Serpents.

	<i>Page</i>		<i>Page</i>
<b>D</b> DRAGON	185	Salamander	189
Dart	186	Viper	191
Cockatrice	<i>ib.</i>	Frog	192
Asp	188	Toad	<i>ib.</i>
Rattle Snake	189		

---

### V. Of Insects.

	<i>Page</i>		<i>Page</i>
<b>C</b> ATERPILLARS	194	Grass-Hopper	207
Louse	197	Spider and Hornet	<i>ib.</i>
Flea	<i>ib.</i>	Fly, Gnat, and Wasp	<i>ib.</i>
Bee	200	Beetle and Dragon Fly	<i>ib.</i>
Scorpion	206	Earwig and Ant	<i>ib.</i>



TO THE

## R E A D E R.

**T**HE instruction of children having been always thought, by wise men, of great use, both with regard to the present age, and to posterity; and most of the books which have been made use of to introduce children into an habit of reading, being such as tend rather to cloy than entertain them; I have thought fit, with short descriptions of animals, and pictures fairly drawn, (which last, experience shews them to be much delighted with,) to engage their attention. I have therefore extracted, from some of the most considerable authors, a short account of beasts, birds, fishes, serpents, and insects;

insects; which, I hope, will prove the more acceptable, there having been nothing done (that I know of) in this nature so compendiously, for the entertainment of children. I have forborne to be very particular in the description of those animals which almost every child is acquainted with. If this brief essay shall any ways contribute to the end proposed, let God have the glory, and the compiler the good wishes and prayers of parents.

te  
n  
is  
r-  
e  
n  
y  
ef  
e  
r,  
d

W





A LION



A LIONESS



A JACCALL



A  
DESCRIPTION  
OF  
BEASTS.

---

BOOK I.

*Of Quadrupeds, or Four-footed Beasts.*

**T**HE LION, justly styled by all the writers *The King of Beasts*, is generally of a dun colour; but not without some exceptions, as black, white, and red, in Ethiopia, and some other parts of Africa and Asia. The hair of some of them is curled, and some long, shaggy, and thin. His head is vastly large and strong; his nose thick, his mouth very wide; his eyes are red, fiery, and hollow, not very round, nor long, looking awry. His fore feet have five distinct claws on each foot, and the hinder but four; all crooked, sharp, and exceeding hard. His sight and smelling are very acute, and he sleeps with his eyes open. He cannot endure fire. When other wild beasts hear his terrible roaring noise, all are surpris'd with fear, and dare not stir; though he is not without his fear of some creatures, such as (is reported) the great Dogs of India, &c. with which they hunt and kill Lions. He is most commonly taken with nets and other snares. Lions are thought to be long lived, because many of them have been found toothless; but this is no certain sign, as it may proceed from their corrupt breath, or other causes.

THE LIONESS, the female of the same kind, is found in the same countries, with the same nature and properties; but has no mane at all, which is proper to the male only, to whose shoulders and neck it is a great ornament.

THE JACKALL, or *Wild Dog*, (commonly  
A 2 called

called *the Lion's Provider*,) though not much bigger than a Fox, yet is so fierce and bold, that it seizes on such beasts as Cows, Hogs, Sheep, &c. and sometimes it will attack a man. It is reported, that when this creature seizes his prey, he makes an hideous noise, which gives notice to the Lion, who immediately comes, if within hearing; at whose sight the Jackall goes a little aside, till the Lion has fully satisfied his hunger, and marches off; and then returns to feed on what the Lion has left. His head is like a Fox's and his body like a Badger's.

THE PANTHER is in shape somewhat like a Lioness, but not quite so large. His hair is short and mossy; his skin is of a bright yellow, beautifully marked with round black spots, and is said to send forth a fragrant smell, and bears a great price. He is a very fierce and cruel beast, greedy of blood, very swift, and catches his prey by leaping. It is the nature of this creature, in some places, to hide himself amongst the thick boughs of trees, and to surprize his prey by leaping upon it suddenly. His tongue, in licking, grates like a file.

THE LEOPARD is, both in shape, nature, and colour, very much like a Panther, being spotted like that creature, and is said to be engendered between a Panther and a Lioness.

THE TIGER is in shape somewhat like a Lioness, but has a short neck. His skin is beautifully spotted, not with round spots, like a Panther, nor with several different colours. It is very wild and fierce, exceedingly ravenous, and of a prodigious swiftness. He spares neither man nor beast, but if he can satisfy his hunger with the flesh of beasts he will not attempt on mankind. It is seldom taken but in defence of its young.



4  
A PANTHER



A LEOPARD



A TIGER



callest *the Lion's Provider*,) though not much bigger than a Fox, yet is so fierce and bold, that it seizes on such beasts as Cows, Hogs, Sheep, &c. and sometimes it will attack a man. It is reported, that when this creature seizes his prey, he makes an hideous noise, which gives notice to the Lion, who immediately comes, if within hearing; at whose sight the Jackall goes a little aside, till the Lion has fully satisfied his hunger, and marches off; and then returns to feed on what the Lion has left. His head is like a Fox's and his body like a Badger's.

THE PANTHER is in shape somewhat like a Lioness, but not quite so large. His hair is short and mossy; his skin is of a bright yellow, beautifully marked with round black spots, and is said to send forth a fragrant smell, and bears a great price. He is a very fierce and cruel beast, greedy of blood, very swift, and catches his prey by leaping. It is the nature of this creature, in some places, to hide himself amongst the thick boughs of trees, and to surprize his prey by leaping upon it suddenly. His tongue, in licking, grates like a file.

THE LEOPARD is, both in shape, nature, and colour, very much like a Panther, being spotted like that creature, and is said to be engendered between a Panther and a Lioness.

THE TIGER is in shape somewhat like a Lioness, but has a short neck. His skin is beautifully spotted, not with round spots, like a Panther, nor with several different colours. It is very wild and fierce, exceedingly ravenous, and of a prodigious swiftness. He spares neither man nor beast, but if he can satisfy his hunger with the flesh of beasts, he will not attempt on mankind. It is seldom taken but in defence of its young.

4  
3  
A PANTHER



A LEOPARD



A TIGER



A3







THE OUNCE 12



A ROMPO 13



A BUFFALO 11





THE OUNCE is a most cruel beast, bred in Lybia, about as big as a Mastiff Dog, his face and ears being like a Lion's, his body, tail, feet, and nails, like a Cat's. It is of a very terrible aspect. His teeth are so sharp and strong, that he can bite wood asunder with them. His claws are a good defence, being, like his reeth, both so sharp and strong, that he fights with them. The colour of the upper part of his body is like whitish Oak, the lower part of an ash-colour, being every where covered with black spots; but his tail more black than the rest of his body, with large spots. It is very ravenous, hates and destroys all creatures he can master, especially men. The gall of this beast is deadly poison.

A ROMPO, or *Man Eater*, is so called, because he feeds upon dead men; to come at which he greedily grubs out the earth off their grave, as if he had notice of some body there hid. He keeps in the woods. His body is long and slender, being a about three feet in length, with a long tail, at the end of which is an hairy sort of brush. The Negroes say, that he does not immediatly fall on, as soon as he has found the body, but goes round it several times, as if afraid to seize it. His head and mouth are like an Hare's; his ears like a Man's; his fore feet like a Badger's, and his hinder feet like a Bear's: It has likewise a mane. This creature is bred in India and Africa.

A BUFFALO has an head like the head of an Hart. His horns are branched and ragged. His body is, for the most part, like a wild Ox's, and about the same size. His hair his deep and harsh, like a Bear's. His head is so hard and thick, that the Scythians make breast-plates of it that no dart can pierce through. It is reported of this creature, that, when he is hunted or put into a fright, he will change his colour to the colour of every

A 5 thing

thing he sees; as, among trees he is green, &c. He is bred in Tartary, Poland, &c. He is mostly valued for his hide, which is much esteemed in all the cold countries, especially in England, whereof all our valiant trained bands frequently make their military coat, belt, &c.

THE BULL is a very strong, fierce creature; its strength, in all parts of his body, is very great; but especially about the head and neck. His forehead seems to be made for fight; having short thick horns, with which he can toss up into the air a large dog, &c. which he furiously receives again as it falls, and so gores it sometimes with his horns, that at length he destroys it. Bulls are enemies to all Beasts of prey, as Lions, Bears, Wolves, &c. The roaring of a Bull is very dreadful. The Bull is very short lived for his size and strength, scarce exceeding sixteen years.

THE COW is the female of the aforesaid kind; somewhat shorter lived than a Bull. She has seldom more than one calf at once; and goes about nine months. Her nature and use being so well known, there needs no farther description.

THE OX is a strong creature, yet very gentle; of great use in husbandry, such as drawing the plough, cart, &c. His flesh is excellent food: his hide is made into leather for several uses. There are Oxen in all parts of the world. Those of Egypt, about the river Nile, are as white as snow, of exceeding stature, yet so meek and gentle, that they are easily governed by men. This creature, as well as the Bull and Cow, is of a sluggish and fleshy nature, that easily grows fat, and feeds wholly upon herbage.

He-  
ralu-  
l the  
our  
itary  
  
ure ;  
reat ;  
fore-  
thick  
air a  
ain as  
orns,  
ies to  
The  
s very  
eeding  
  
kind ;  
s sel-  
about  
well  
  
gentle ;  
ough,  
hide is  
Oxen  
about  
eeding  
easily  
as the  
e, that  
ge.



ABULL 15

8

A Cow 16



AN OX 17



A6







9

A HORSE 18



AN ASS 19



A MULE 20





A HORSE is a very fine stately beast; and one of the most useful creatures to man. This creature is bred now in most parts of the world. The Horses of Turkey, Arabia, and Persia, are accounted better limbed and proportioned than many others; but the English race may justly claim the precedence of most European nations, and are not, perhaps, inferior in strength and beauty to those of any other country. The Horse is a sagacious and docile animal, fierce and courageous in war. It is said, that it was very much owing to Horses that the Spaniards gained such large acquisitions in America; for when first the natives saw a man on horseback, they thought the man and the Horse to be one individual creature; which struck them into a very great terror. The Horse shares a middle life, scarce attaining to forty, and usually not to more than twenty; but this shortness of life he probably owes to man: For the breed of the Sun is now no more, that ranged at large in fresh pasture; yet the Horse continues growing till six, and generates in old age. The Mare also goes longer with young than the women, and but seldom foals double. It is wholly superfluous too nicely and particularly to describe the several parts and properties of this creature, which fall almost under every one's observation.

AN ASS is a beast of burden, very serviceable to mankind in carrying a man, and such utensils as he pleases to lade him with; of greater strength than most animals of his size, but of a stupid and sluggish nature. The female is much esteemed by physicians, for its milk in consumptions. This creature is usually of a dun colour, and has the form of a cross upon its back and shoulders. He has nearly the same age as the horse. To be more particular in describing a creature so well known is altogether needless.

A MULE is a beast of a mixed nature, engendered of a Mare and an Ass, and resembles an Ass more than a Horse; having long ears, a cross upon the shoulder,

shoulder, small feet, and lean body; but in most other respects it is like a Horse. It does not propagate at all. The Mule is longer lived than either the Horse or the Ass.

OF BEARS there are two kinds, a greater and a lesser; the latter of which is more apt to climb trees. Muscovy, and other Northern countries produce white Bears, for the most part of a very large size. The head of a Bear is his weakest part, as the head of a Lion is the strongest. By a small blow on his head he has often been killed. His mouth is like an Hog's, but longer; being armed with teeth on both sides like a saw. He will not willingly fight with an armed man, but, when he does, he stands upright, and takes the man between his fore feet, and hugs him; but the man, being covered all over with a kind of iron armour, receives no hurt; and may easily, with a sharp weapon, pierce through his heart. He is generally taken with nets, into which he is driven, or allured by stratagem. The Bear is a great sleeper, and a sluggish, indolent creature, yet not observed to be long lived; they should rather seem to be short lived, from their very short period of gestation, or going with young, scarce reaching to forty days.

THE ANT-BEAR is a four-footed beast, as big as a pretty large Dog, with rough dark brown hair. It has short legs, a long nose, little eyes, a very little mouth, and a tongue like an earthworm, five or six inches long. It feeds on Ants, and is commonly seen near an Ant's nest. It takes its food by laying its nose flat down on the ground, upon or near the path that the Ants travel in; and puts out his tongue across the path, the Ants passing to and fro, when they come to it make a stop, and in a few minutes the tongue will be covered all over with Ants; which the creature draws in suddenly, and so eats them very greedily. It is to be met with in several parts of Armenia.

THE WOLF is a very ravenous creature, and as dangerous to meet with, when hungry, as any

A BEAR



THE ANT BEAR



A WOLF










## A RHINOCEROS



26

## AN UNICORN

8



26

i  
t  
r  
h  
v  
w  
h  
a  
le  
fo  
th  
w  
hi  
is  
w  
be  
to  
lay  
fo  
scri  
  
T  
wri  
and  
fore  
rail  
abo  
an C  
is as  
a fl  
exce  
ing  
prey



beast whatever. But when his belly is full, he is to men and beasts as meek as a Lamb. It inhabits the mountains, except in Winter-time, when it roars about the gates of cities and towns; and kills both Sheep and Goats, &c. He is very subtle in seizing and destroying such creatures as are stronger than himself. When he falls upon an Hog, or a Goat, or such small beasts, he does not immediately kill them, but leads them by the ear, with all the speed he can, to a crew of ravenous Wolves, who instantly tear them to pieces.

THE RHINOCEROS, so called because of the horn in his nose, is bred in India and Africa. His colour is like the bark of a box-tree. He is said to be in shape somewhat like a wild Boar, and not much unlike an Elephant, and near as long, but not so high, having shorter legs. He has two girdles upon his body, like the wings of a Dragon, from his back down to his belly; one towards his back and mane, and the other towards his loins and hinder parts. His skin is so hard that no dart is able to pierce it, and covered over with scales, like the shell of a Tortoise. His legs are also scaled over down to the hoofs, which are parted into four distinct claws. The horn upon his nose is so very hard and sharp, crooked towards the crown of his head, that some say it will pierce through iron or stone. He is said frequently to whet his horn against a flint, &c. that he may be prepared whenever he is attacked by an enemy. He is a mortal enemy to the Elephant, whom he seldom meets without a battle; and aims chiefly at his belly, being the softest place, which, if he misses, the Elephant is too hard for him with his trunk and teeth. The naturalists say, that he grunts like a hog. The manner of taking him being so variously and uncertainly related, I thought it not worth describing.

W

THE UNICORN, a beast, which, though doubted of by many writers, yet is by others thus described: He has but one horn, and that an exceeding rich one, growing out of the middle of his forehead. His head resembles a Hart's, his feet an Elephant's, his tail a Boar's, and the rest of his body a Horse's. The horn is about a foot and a half in length. His voice is like the lowing of an Ox. His mane and hair are of a yellowish colour. His horn is as hard as iron, and as rough as any file, twisted or curled like a flaming sword; very straight, sharp, and every where black excepting the point. Great virtues are attributed to it, in expelling of poison, and curing of several diseases. He is not a beast of prey.

A 110

X

X

X

THE FOX is produced in most countries; nor does one of them differ much in size from another, but much in colour. In Muscovy, some of them are black, some white, and others red. The abode of this creature in the day-time is in holes of the earth which he is never at the trouble of making; for the Fox, by leaving his excrements in the Badger's hole, or den, thereby takes possession of it for himself, the Badger never caring to come into it any more. The Fox seems well provided for long life, as being well covered, of a greedy appetite, and living under ground, yet he is not observed to be long lived; Doubtless he is of the Dog-kind, which is but short-lived. The male of this species will sometimes couple with a bitch, and the female with a dog. When he is hunted, and the Dogs are ready to take him, he is said to urine upon his tail, and strike it into the faces of the Dogs. And as many as he touches with his pissed tail commonly leave off the chase, unless very good of the kind. But his wiles and stratagems being so numerous, I shall forbear to say any more of him or them.

A RACCOON is a Monkey less than a Fox; is grey-haired, has a large black eye, with whiskers and nose like a Pig, tail and feet like a Rat, a brownish fur on his back, and a white belly. It is very prejudicial to poultry.

THE SAGOIN is about the size of a Rabbit, of a grissled colour, a tail like a Rat, feet like a Squirrel, face almost like a Martin, a short round ear, and in other respects like a Monkey. 'Tis bred in Brazil in South-America.

THE BERBE called by Europeans *Winebibber* because it is very greedy of Palm-wine, is much like a Cat, only his snout is much sharper, and the body smaller, and spotted like the Civet Cat.

A FOX 21



A RACCOON 22



THE SAGOIN 23



THE BERBE 24



B









THE LAMIA 31



THE ELKE 32

THE ALLOCAMELUS 33



T  
 ny f  
 lom  
 chap  
 the  
 natio  
 foot  
 escap  
 whe  
 nces  
 in re  
 aid  
 break  
 voice  
 parts  
 is b  
 devo  
 T  
 than  
 id, a  
 men  
 aid t  
 ay t  
 orme  
 steen  
 oreh  
 The  
 out th  
 s gen  
 ts ho  
 s gre  
 Th  
 bout  
 is he  
 eck  
 owish  
 ke an  
 charge



THE LAMIA, concerning which there are many fictitious stories, is, (according to the opinion of some writers,) the creature mentioned in the 34th chapter of *Isaiah*, called in Hebrew *Lilith*; as also the same which is mentioned in the 4th of *Lamentations*. It is thought to be the swiftest of all four-footed creatures, so that its prey can seldom or ever escape it; and by its fraud it destroys men; for, when it sees a man, it lays upon its breast, and entices him to draw near; and, when it has him within reach, it falls upon him and devours him. It is said to be bred in *Lybia*, and to have a face and breasts like a very beautiful woman. It has no voice, but that of hissing like a serpent. Its hinder parts are like a Goat's, its fore legs like a Bear's; its body is scaled all over. It is said, they sometimes devour their own young.

THE ELKE is twice as big as an Hart, and bigger than a Horse. In Norway, Sweden, &c. it is tamed, and put into a coach, chariot, or sledge, to draw men through great snows, and upon the ice. It is said to be more swift, and to run more miles in one day than a Horse can in two. This creature was formerly used to be presented to princes, and much esteemed for its singular strength and swiftness. Its forehead is broad, and has two very large horns: The female has likewise horns. His neck is short, but thick; his ears and back very long. Its colour is generally like an Hart's but sometimes all white. Its horns weigh twelve or fourteen pounds. There is great virtue ascribed to its hoof in medicine.

THE ALOCAMELUS is a beast of Peru; it is about two yards high, and about five feet in length; its head, neck, and ears, are like a Mule's, but his neck as white as a Swan's his other parts of a yellowish colour: His body is like a Camel's, and feet like an Ostrich's. It has no horns. The males discharge their urine backwards.

A SHEEP is a creature universally known, being one of the chief for human food. Its wool is of great use for clothing. Most countries have plenty of this creature, but none exceed the English Sheep. They seldom live ten years, tho' a creature of a moderate size, and well covered; and shewing but a very small proportion of gall, yet their coat is exceedingly curled, beyond that of any other animal. The Ram generates not till the third year, and continues fit for generation to the eighth. The Ewe continues to bear as long as she lives. It is a creature subject to diseases, and seldom lives out its full course. She goes with young about twenty weeks.

The African sheep are shaped like ours, but not near so big: They have no wool; but that want is supplied with hair; so that here the world seems inverted, the Sheep being hairy, and the men woolly. They are but a dry and indifferent sort of meat.

THE STREPSISEROS is a kind of Sheep bred in Crete, not unlike our common Sheep, its horns excepted, which grow and shoot straight out like the Unicorn's, being curled about with wreathes like the Goat's horn. This creature is about as big as an Hart, having likewise red hair.

THE IBEX, taken by some to be a wild Goat, is bred in the Alps. It is of an admirable swiftness, though its head is loaded with horns, as no other beast of its stature wears, being six or seven spans long. His hair and neck are like a Buck-Goat with a long beard; the other parts of his body resemble those of an Hart. It inhabits the tops of cliffs, rocks, and mountains.

THE MUSMON is not unlike a Sheep, except in the wool, which resembles rather the hair of a Goat. It is bred in Spain and Corsica, and is said to be begotten betwixt a Ram and a Goat. His breast is rough and hairy, his horns bend backward only to his ears. It has a very short tail. It is not inferior in swiftness to any other beast. It frequents the steep mountains, and feeds on grass and herbs. Its flesh is reckoned very good to eat.

A SHEEP

20  
20



54

THE STREPSICEROS



55

IBEX



56

MUSMON



57

B 4







## THE LYNX



## A CAMELEON



B5



THE LYNX, by some esteemed the same creature with the Ounce, has from others met with this following description: It is about as big as a Lamb of two or three years old: his head, mouth, feet, and nails, are like a Cat's: his beard hangs down on both sides, divided in the middle, being of sundry colours: his tail is short and thick: his ears are erected upright as the ears of a Cat: his colour in the uttermost part is red; in the innermost white, sprinkled with black spots; and on both sides of his nose there are four spots set in order. In the upper lip, on both sides, are white hairs, rougher than those in a Cat or Lion: he is a quick moving creature, and hardly ever known to stand still: his skin is esteemed and used by nobles: he is loving and gentle to his keeper, and not cruel to any man.

A CAMELEON is very rare to be seen. It is firmly asserted by some naturalists, that it lives on air. Though others have asserted, from their own experience, as they assure us, that, upon the dissection of this animal, flies have been found in its belly; from whence it seems reasonable to conclude, that, however it may live some time by sucking in the air, yet that is not its only nourishment. It is said frequently to change its colour, very often three or four times in half an hour, which commonly is grey. The colour it mostly changes to is a very fine green, spotted with yellow. Its skin is very thin, and almost transparent. Its tongue is as long as its whole body. It is said to be so timorous, that, when it descends from an height, it moves very cautiously, and curls its tail, by which it can hold fast about some thing or other in its way, lest it should slip. This creature is like a Lizard.

**THE ROE-BUCK** is a beast commonly found in most countries, being a creature of a pretty large size. The male has large branched horns, but the female has none. It is commonly brindled, or sandy on the back, &c. having a black streak down the back. Its tail is about as long as a Calf's. Its belly and sides are spotted with white, which spot it loses in old age. Its flesh is good for nourishment; but its blood, when eaten, occasions melancholy. Its swiftness is very surprising.

**THE HART** has his face fleshy, his nostrils fleshy, his neck very long, his ears pretty large, and horns twenty inches long at most, somewhat branched like those of the Roe-buck. This creature is bred in many countries, but the British seem to have the preference of most. The Hind, the female of this creature, has no horns. Every year, in the month of April, the Hart sheds, or loses his horns; and having lost them, he hides himself in the day-time in shady places, to avoid the annoyance of flies, and feeds only in the night, till his new horns sprout out and harden: he is a great enemy to all kinds of serpents, which he labours to destroy wherever he finds any, but is afraid of almost all other creatures: his flesh is accounted excellent food, and, as well as his horns, is esteemed good in physic. Little need be said of the pleasure taken in hunting this creature and the Roe-Buck, it being a matter so well known.

**THE STAG** is vulgarly famed for long life, but upon no certain history. There goes a report of a certain Stag found with a chain about his neck, buried in fat. That he should be a long lived creature seems less probable, because he comes to his full growth at five, soon after which his horns, which are yearly shed and renewed, grow from a narrow basis, and less bulky.

A ROE BUCK



THE HART










## A WILD BOAR



## A Sow



par  
pla  
like  
nef  
his  
sing  
his  
upo  
for  
to n  
an t

T  
Its  
an  
on  
fers  
whe  
are,  
blac  
not  
cast  
rifi  
the  
digg  
whic  
renn  
eett  
ng t  
Swi  
broa  
beast  
eedi  
ood.  
wen  
all an  
he  
here



**THE WILD BOAR** inhabits, for the most part, marshes and woods, and is commonly of a black, or brown colour. His tusks, when living, cut like sharp knives; but, when dead, lose their keenness. It is said, when the creature is hunted down, his tusks are so inflamed, that they will burn and singe the hair of the Dogs. His tail is short; and his hind feet are (some say) not cloven, but stand upon one claw. His flesh is very tender, and good for food. The hunting the wild Boar is dangerous to men and dogs, both having been killed sometimes in the pursuit of this fierce beast.

**THE SOW** is bred in most parts of the world. Its skin is all over rough and hairy, not so thick as an Ox's, yet much longer and stiffer, standing up on the ridge of the back. This sort of animal differs in colour, according to the several countries wherein it is produced. The Swine in Germany are, for the most part, red; in France and Italy black, and in other parts, of various colours. The snout of this creature is long, strong, and broad, to cast up the earth for its food; having on the tip a rising gristle, round and picked at the end, between the nostrils, wherewith it first enters the ground in digging. Upon its under chap there are teeth which grow out of the head of the male, which the female hath not. For, as the Elephant has two teeth growing downward, so has the Boar two growing upward. As the Horse has his mane, so has the Swine strong bristles on his neck; which neck is broad and thick, wherein lies the strength of the beast. The Swine of Italy and Germany, chiefly feeding on acorns, are generally esteemed the best food. The Hog sometimes lives to fifteen, or even twenty years; and though its flesh be the moistest of all animals, yet this seems to contribute nothing to the prolongation of life. But for the wild Boar, there is no certain account of him.

AN APE (the most common sort of which is that called *Smitten*) is of a pale Mouse colour, and grows to a wonderful size, some of them being five feet long. It is so bold and mischievous that it will attack a man. The Negroes are so silly, as to believe these Apes can speak, but will not, lest they should be set to work, which they suppose they do not like. Baboons and Monkeys have tails, but the Apes none.

THE BEAR APE, a very deformed beast of America, has his belly hanging very low; his head and face like a child's; his skin is of an ash colour, and hair like a Bear's; he has but three claws upon a foot, as long as four fingers, whereby he climbs up the highest trees, and for the most part lives upon the leaves of a certain tree common in those parts. It will not eat the flesh, nor attempt the life of man; but, when tamed, is very fond of mankind. He does not seem wet, though he has been long in the rain.

THE FOX APE is in the fore part like a Fox, and in the hinder part like an Ape. Under the common belly it has a skin like a bag, wherein it keeps, lodges, and carries its young, till they are able to provide for themselves. Neither do they come out of that receptacle, except it be to suck the Dam, or sport themselves; so that it is the best shelter against all its enemies. For it is exceeding swift in running with that load, as if it had no burthen at all.

## AN APE



## THE BEAR APE



## THE FOX APE










## A BABOON



## MONKEYS





THE BABOON is commonly black and hairy, though skinned, has red and bright eyes, a long face like a Dog's; but his teeth are both longer and stronger. His fore feet are armed with very strong nails. He is very swift, and hard to be taken. Some of them delight in fishing, and will stay a great while in the water hunting for fish, which they catch in great abundance, and lay up in store. The ancient Egyptians held these creatures in great veneration, and kept them in their temples. It is a lover of Sheep and Goats, and drinks their milk. It knows how to take the kernels out of nuts, as well as a man. It will also drink wine, and eat human food. It is very surly and ill-natured. It will imitate a great many human actions; loving, as it is said, wonderfully to wear garments, and will, of its own accord, clothe himself with the skins of such creatures as he kills. It will stand upright, or sit down, and in many things will behave as if it had some degree of rational understanding.

MONKEYS are bred in many countries, and are of various sorts and sizes. There are some in the East Indies finely spotted. Monkeys, when wild, feed chiefly upon nuts, apples, &c. but when tamed, will eat many sorts of human food. They are very expert at climbing, mischievous and unlucky; and participate much of the subtle nature of Apes and Baboons.

**THE HYENA**, of which there are several sorts, is, in Cefarea, about the size of a Fox; it has bristles like an Horse's mane on its back. It is said it can change the colour of its eyes at pleasure, a thousand times in a day. When it is very hungry, it enters the graves of men, and eats their dead bodies; yet its flesh, in Syria, Damascus, &c. is eaten by men. It is in shape very like a Bear; its colour like a Bear's; and is thought to be engendered of a Bear and a Dog. It is a beast of great subtilty, that barks and makes an hideous noise in the night. This creature is said, when it goes to drink of the river Nile, to take a sup and away, for fear of the Crocodile.

**THE MANTICORA**, or, (according to the Persians), Mantiora, a devourer, is bred among the Indians; having a triple row of teeth beneath and above, and in bigness and roughness like a Lion's; as are also his feet; face and ears like a man's; his tail like a Scorpion's, armed with a sting, and sharp pointed quills. His voice is like a small trumpet, or pipe. He is so wild that it is very difficult to tame him; and as swift as an Hart. With his tail he wounds the hunters, whether they come before or behind him. When the Indians take a whelp of this beast, they bruise its buttocks and tail, to prevent its bearing the short quills; then it is tamed without danger.

**AN ANTELOPE** is as large as a Goat, of a chestnut colour, and white under the belly. His horns are almost straight from his head up, tapering gradually, with rings at a distance from one another, till within an inch and a half of the top. It has fine large black eyes; long and slender neck, feet, and legs; and a body shaped like a Deer. There are many in an herd; when, at the same time, they have scouts, who, by running, give them notice of an approaching foe. They are generally shot, &c. being too swift for a Greyhound.

THE HYENA 28 32



THE MANTICORA 20



AN ANTELOPE 30









A PORCUPINE 25



A BADGER 26



A HEDGE HOG 27



A  
two  
wood  
so da  
snake  
are a  
such  
they  
weap  
its de  
stru  
breed  
A  
Dog  
the f  
other  
carri  
a Sw  
and  
hair  
are l  
are p  
Dog  
very  
A  
it,  
with  
feet,  
oft  
st  
r m  
han  
efic  
rap  
ne  
ner  
arn  
is  
ray  
hir



A PORCUPINE grows to the height of about two feet and a half. Its bite is so sharp, that no wooden work, as some say, can withstand it. It is so daring that it will encounter the most dangerous snake. When it is provoked, it shoots its quills, which are about two spans long, at a man or beast, with such violence, that, if they happen to hit on a board, they will stick in it; which discharge of those sharp weapons of artillery that nature hath provided for its defence, if too often repeated, tends to its own destruction. Its flesh, in those countries where it breeds, is esteemed by the natives as good food.


A BADGER is of two kinds; one sort like a Dog, the other like a Swine: It differs likewise in the shape of the snout, one resembling a Dog's, the other an Hog's; the former of which eats flesh and carrion, like a Dog; the latter, fruit and roots like a Swine. 'Tis about as big as a Fox, but of a shorter and thicker body. His skin is hard and rugged; his hair harsh and stubborn: his back is broad; his legs are longer on the right side than the left. His teeth are prodigious sharp; and, when he fights with a Dog, he useth his teeth and nails which are both very sharp.

A HEDGEHOG is about the bigness of a Rabbit, but more like an Hog; being covered all over with sharp thorny hair, as well as on the face and feet, and those sharp prickles covered with a kind of soft moss: but, when it is angry, or gathers its food, it strikes them by natural instinct, as sharp as pins or needles. He has two holes under his tail to discharge his excrements; which no creature living has besides: His common food is apples, worms, or grapes. It is reported, that when he finds apples on the ground, under the trees, he rolls himself upon them, until he has filled all his prickles, and then carries them to his den; never having above one in his mouth. When it is apprehensive of danger, it draws itself up as round as a foot-ball; so that nothing appears but the prickles.


THE CAMEL, of which there are divers sorts, is distinguished according to the different countries which produce this animal. In India it is said to be bred in the mountains, and hath two bunches on its back, and one on its breast. His colour is for the most part brown; yet there are herds of white. Its feet are fleshy like a Bear's, and are shod with leather when it travels. I here is an herb, which has seed like a myrtle seed, that is poisonous to Worms, yet is food for Camels. It will not drink clear or clean water, but that which is slimy or muddy. It will endure thirst for some days; for which reason it is more useful for travellers than Horses, in the Lybian or Arabian deserts: When it drinks, it takes a very large quantity. The Camel is long-lived; a lean sinewy creature, that commonly reaches to fifty, and sometimes to a hundred. It is said to be so chaste, by natural instinct, that the male will not cover its dam. Of its hair is made camlet. Camel's milk is the thinnest of all others; and is therefore very wholesome for food. There are several medicinal virtues in Camels. These creatures are produced in great plenty in Arabia.

THE DROMEDARY is like a Camel, of less stature, but much swifter; and has but one hard bunch on his back. It cheweth the cud. It is a very tall, large creature. Its upper lip is cloven in the middle like a Hare's, and it has two broad nails on his feet, which in the upper part appear cloven, but underneath whole, round, and fleshy, without division. It has a hard bunch on its breast, whereon it leans sitting down and rising; and also one upon each knee. It is said to live fifty or sixty years. This creature was formerly used to draw a chariot, and presented to princes; and, in time of war, every one carried two archers, who sat upon him back to back, shooting their darts, one against the front of the enemy, and the other against the followers. It is said to travel an hundred miles in a day, and to carry a burden of fifteen hundred weight; bending his knees like the Camel, to take up his load and rider.

A CAMEL



A DROMEDARY









# THE BISON



# THE WHITE SCOTISH BISON





THE BISON, or wild Ox, is bred chiefly in the northern parts of the world, *viz.* Muscovy, Scythia, &c. It is as big as a Bull or Ox; being maned about the neck and back like a Lion; and his hair hanging down under his chin, or nether lip, like a large beard; and a rising, or little ridge, down along his face, from his forehead to his nose, very hairy; his horns are large, very sharp, and turning towards his back, like those of a wild Goat on the Alps. It is of such great strength, that it can (if some writers may be believed) toss an horse and his rider. With its tongue, which is hard and rough, like a file, it can draw a man to him, whom by licking he can wound to death. Its hair is red, yellow, or black; its eyes very large and fierce. It smells like a Musk Rat. Its flesh is very fat in summer-time, but not good to eat, being strong. The blood is thought to be the purest in the world, excelling in colour any purple.

THE White Scottish BISON, or Wild Ox, is maned about the neck like a Lion, but in other parts like a common Ox. The animals of this kind once overspread the woods of Callender or Calder; but now they are all slain, except in that Scottish part which is called Cumirnal. The Bison is said to dread and abhor mankind to that degree, that he will not feed on any grass or herbs, if he can discern by his smell a man has touched them, at least for many days together. If he meets a man, he presently makes at him, fearing neither dogs nor bears, nor any kind of weapons. It is excellent food; and used formerly to be very acceptable to persons of the first rank.

THE CAMELOPARDAL is bred in Ethiopia, India, Georgia, &c. The head of it is like a Camel's; its colour, for the most part, red and white, beautifully mixed together, and the skin full of spots. It has two little horns upon its head, of the colour of iron; has a small mouth, like an Hart's; a tongue near three feet long, and a neck of divers colours, of a very great length, which he holds higher than a Camel's, and is far above the proportion of his other parts: his fore-feet are much longer than his hinder. His pace is different from all other beasts; for he moves right and left feet together. This creature is like both a Camel and a Panther. The skin of this beast is very valuable. It is a solitary beast, and keepeth in the woods, if it be not taken when it is young. It is very tractable, and easy to be governed, so that a child may lead it with a small line or cord about its head. The flesh of this creature is good meat.

THE REIN-DEER of Lapland, is somewhat bigger than a Stag; with horns branching out into several small ones; feet thick, like a Bull's; colour near an ash, but white on the belly and haunches. It resembles more an Afs than a Stag. Though its hoof be cleft, it does not chew the cud. It is naturally wild, but tamed for domestic service, such as drawing a sledge, cart, or carrying of burdens. In the summer-time it feeds on grass, and leaves of trees; and at other times on a sort of white moss which that country abounds with: when the mountains are covered with snow, it scrapes out this moss with its feet. It goes a rutting about the middle of September, and goes with young ten months, and breeds one at a time. It is at its full growth at four years, and seldom lives above ten. With the milk of this creature they make cheese, but no butter.

THE  
CAMELOPARDAL

59



A REIN DEER

60



C 5







61



A HARE

62



A RABBIT

63



A MOLE

THE  
sw  
e le  
has,  
es;  
oid  
rce  
d ha  
this  
re a  
e dar

THE  
hav  
almo  
ich  
ghter  
ite,  
glan  
least,  
emea  
e wi  
vent  
vel o

THE  
ut is  
legs  
n, h  
rms.  
ears  
of  
soft  
red.



THE HARE has every limb and part of it made for swiftness. Its hinder legs are longer than its fore legs. It always looks backward when pursued. It has, like all fearful and unarmed creatures, long ears; that, from the advantage of hearing, it may avoid its enemies by flight. The Hare and Rabbit scarce last seven years; they are both great breeders, and have many young ones at once. They differ in this, that the Rabbit lives under ground, and the Hare above; and that the flesh of the Hare is the darkest.

THE RABBIT is bred in most countries, but we have greater plenty of them than England. It is almost like an Hare, except in its head and tail, which are shorter; and in its colour, which is lighter. There are Rabbits of several colours, as white, black, &c. The Rabbit begins to breed in England at a year old, and bears every month, or, at least, seven times in a year. Its skin is much esteemed for several uses, as its flesh is for food. The male will kill the young if it can get at them; to prevent which, the female will cover her litter with straw or earth.

THE MOLE is about the bigness of a Rat. The body is like a Hog's; its feet are like a Bear's, its legs short; its toes, with which it digs up the earth, have sharp nails. It lives in the earth upon worms. It has no ears that can be discerned; yet it hears in the ground perfectly well. It is generally of a blackish colour, with short smooth hair, as soft as wool. Its eyes are commonly shut or covered.

THE English BLOODHOUND is larger than the Beagle, or any other hunting Hound. It is the colour of other Hounds, being red and brown. It has long ears, and seldom barks except in hunting, and then will follow its game through wood thickets, &c. and never leave what it is in pursuit for any other, till it kills; which it seldom fails to do. It is employed in hunting the Hare, Fox, Hare, Badger, &c.

THE SPANIEL is another kind of smelling dog, very docile, that it may be taught to do very surprising tricks, such as fetching, carrying, &c. There are two sorts, one called a Water Spaniel, and the other a Land Spaniel; the first of these is very excellent at hunting of Otters, Ducks, &c. and will watch the stroke of a gun, and, as soon as the fowl shoots a fowl in the water, will instantly go after it and bring it to his master.

THE LAND SPANIEL is used in setting Partridges, hawking, &c. and, in regard to its usefulness for such kind of sport, is esteemed and valued more than most other Dogs. The colour and size of this creature are so well known, that there need be no more said about them.

THE DOG is a short-lived creature, that does not live above twenty years, and seldom sees four years. He is hot, and lives unequally; as being often in violent motion, and then sleeping. The Bitch brings many young ones at a litter, and goes with them nine weeks.

A BLOOD HOUND

44



A WATER SPANIEL



A LAND SPANIEL









A MASTIFF



A BULL DOG



A GREY HOUND



pec  
or  
ga  
ers

T  
ut  
ead  
re a  
ill  
itho  
omet  
o the  
er;  
o qu  
nce,  
Bear

A C  
ead,  
rs, w  
broad  
s. hinc  
oad,  
per a  
ogs.  
t gam  
ht, an  
said to



THE MASTIFF-DOG is the largest of the whole species, vastly strong and fierce. It is chiefly used for guarding houses, especially in country places, against thieves and robbers; and sometimes by drovers, and oftentimes for baiting of beasts.

THE BULL-DOG is much less than the Mastiff, but not inferior in fierceness. It has a pretty large head, neck, and breast. Those of a brinded colour are accounted the best of the kind. This creature will naturally run at, and seize the fiercest Bull, without barking; running directly at his head, and sometimes catches hold of his nose, and pin the Bull to the ground, and make him roar in a terrible manner; nor can he, without great difficulty, be made to quit his hold. Two of these Dogs let loose at once, are thought to be a match for a Bull, three for a Bear, and four for a Lion.

A GREYHOUND has a long body, a neat sharp head, a full eye, a long mouth, sharp teeth, little ears, with thin gristles in them, a straight neck, and broad and strong breast; his fore legs are straight; his hind legs also long and straight; his shoulders broad, ribs round, strong, and full of sinews, and taper about the belly. He is the swiftest of all dogs. The best time to try him, and train him to game, is at twelve months old. He courses by sight, and not by scent, as other Hounds do. He is said to outlive all other kinds of Dogs.

AN OTTER is an amphibious animal, that lives both on land and in water, yet it never goes into the sea. It abounds in all nations where there are rivers, or fish-pools, as Italy, France, Germany, England, &c. it is less than a Beaver, and resembles it in most parts, except in the tail. It has a rough skin, and the hair of it is very soft and neat, like the hair of a Beaver, and of a chefnut colour. Its fore legs and tail are like a Dog's, and teeth very sharp. Though it lives in and upon the water, yet it is forced to take breath. It is exceedingly swift in pursuit of its prey, which are mostly fish, with which it fills his den so full that it stinks to that degree as to corrupt the air. In the winter-time it lives chiefly upon land, and feeds upon fruit, bark of trees, &c. It is hunted with Dogs, and by men with shafted spears.

THE BEAVER builds an house as the Muskrat only much larger; and with timber makes dams over narrow rivers, to catch fish, by standing to wait for them thereon, and jumping upon them on a sudden. It is a very subtile creature, and there is an order of government among their species. In their work each knows his proper business and station; and the overseers beat those young ones that loiter, and make them work stoutly. It is about the size of a Fox or a Badger; his head is short; his ears are very small and round; its teeth very long; the under teeth standing out beyond its lips three finger's breadth, and the upper about half a finger's, being very broad, crooked, sharp, and strong: his fore legs are like a Dog's, his hinder like a Goose's; but his tail is the most strange of all, being covered over with a skin like the scales of a fish, and is in shape like a foal, about six inches broad, and half a yard long. It lives both in the water, and on the land.

## AN OTTER



## THE BEAVER










## SEA HORSE



68


## MOUNTAIN COW




(3)

D2





THE SEA-HORSE lives as well on the land as in the water. It is shaped like an Ox, but somewhat bigger, weighing fifteen or sixteen hundred weight. It is covered with hair of a Mouse colour, and very sleek. The head is flattish on the top: it has no horns, but large lips, and wide mouth, and strong teeth; four of which, *viz.* one in each jaw, are longer than the rest, being four or five inches long. It has large broad ears, great goggle eyes, thick neck, strong legs, but weak fetlocks. His hoofs are cloven in the middle; his tail is short, tapering like a Swine's. It is very good meat. He grazes on shore, and dungs like a horse; but retires to the water if pursued, and will sink down to the bottom, though very deep, and there walks as on dry ground.



THE MOUNTAIN-COW, (according to Captain Dampier) is as big as a bullock of two years old, and shaped like a Cow; but has a much larger head, without horns: her nose is short; her eyes are round, full, and of a prodigious size. She has great legs; and her ears are in proportion to her head: her neck is thick and short, and her legs shorter than ordinary. She has a coarse thin hair, and a pretty long tail, but no bunch of hair at the end: her hide is near two inches thick, and her flesh red, and very wholesome meat. This beast never feeds in pasture, like other Cows, but upon long grass, or moss, on the banks of rivers. When her belly is full she lies down to sleep by the water-side, and at the least noise slips into the water, where sinking down to the bottom, though very deep, it is said she walks as on dry ground. She is bred near the bay of Honduras, in America.

THE CIVET CAT requires a large share of trouble and attendance to breed it up. Its food is pap, boiled or made of millet, with a little flesh of fish. It produces Civet, even when very young, of which that of the male is greater and better than that of the female, because the latter cannot avoid urining into the Civet bag, which spoils it.

THE GENNET CAT, so called, (as some suppose, from its likeness to a common Cat,) is in size between a Cat and a Fox. The skin, wherein there is abundance of spots, is very beautiful; the shining brightness and splendor of it not being inferior to that of any other creature. It is meek and gentle, except it is provoked; and is suffered, in Constantinople, to go up and down from house to house, like a common Cat. The wild of this species keep in vallies and marshy places.

THE FITCH, or POLECAT, differs from the Wild Cat on account of her strong and stinking smell. Its skin is stiff, harsh, and rugged, and long in garments. Its tail is not above two hands long. Its breast, tail, and legs, are of a black colour, but the belly and sides yellowish. It keeps in the tops of houses and secret corners, and devours Hens, Chickens, &c. by biting off their heads, to prevent their crying. Some Pole Cats wander and keep in woods, and live upon birds; others by the sea side and rocks, and feed upon fish.

THE common HOUSE CAT is in all parts like a Lioness, except in her sharp ears: her flesh is soft and smooth; her tongue, in licking, is rough like a Lion's, her teeth are like a saw; her nails are sheathed like the nails of a Lion; striking with her feet both Dogs and other things, as a man does with his hand. The age of the Cat terminates between six and ten; a nimble creature, abounding in spirit that eats voraciously, and swallows without masticating or chewing. She catches her prey by leaping. The Cat is neat, cleanly, and a very useful domestic creature.

A CIVET CAT

52



A GENNET CAT

71



A POLE  
CAT

72



73



A COMMON CAT

D 4








MICE



A RAT



A MUSK RAT



LAND TORTOISE



MICE are of various colours; but mostly ash coloured. In Savoy, and some parts of France, there are white Mice. They also differ in size. Their hearts are very large; and their liver and lights (according to some writers) increase in the winter, the fibres in them increasing and decreasing with the moon; for every day of the moon's age there is a fibre increased in their liver; which gave occasion to the observation, The moon feeds Oysters, fills Hedgehogs, and increases the fibres in Mice. In Africa there are Mice which afford a musky scent, but have no bags like the Civet Cat; whence some think, that the pleasant odours proceed from the skin. Their place of living, food, &c. are so well known, that it is needless to trouble the reader any farther about them.

A RAT somewhat resembles a Mouse in its shape, but is four times as big, being of a dusky colour, more white under the belly; having a long head, short and round ears, short legs, long claws, very large eyes, and a long tail, almost void of hair, and accounted venomous. What has hitherto been described is the Land-Rat. There is also a Water-Rat, which has holes by the water-side, and feeds upon fish. It is in all respects like the Land-Rat, except in the snout, which is rounder and blunter.

THE MUSK-RAT is said to be shaped like one of our Water-Rats, but larger. It has a fine musky scent. It builds in the marshes by the water-side, with two or three ways into them; and is finely cubed within, having three lodging-rooms very neat, one higher than another. It is thought to live mostly on fish.

THE LAND TORTOISE lives upon grass; moves very slowly; and if any thing comes near its head, draws it under the shell, which is so strong, that nothing can hurt it. It also draws in its fore legs with its head; so that all is secured. It will carry a man on its back. Its flesh eats and looks like Buffalo, and makes good broth.



THE WILD GOATS are dispersed into many countries beyond the sea, the Alps, Italy, &c. It is said, that on the tops of the Lybian mountains there are Goats of a monstrous size, whose horns hang crooking backwards on their shoulders, not like other Goats. This sort of Goats is said to be very dextrous at climbing, and leaping from the top of one craggy hill to another, sometimes at a very great distance, and seldom or never receiving hurt from falls. They are remarkable in their care of their young; which care, when the dam grows old, is returned with a becoming gratitude by the young, when grown up, bringing them both food and water. The male of this animal differs not from the female either in horn, colour, or proportion. In the summer-time these are red, and in the winter brown.

THE GOAT approaches the Sheep in age, and almost every thing else, tho' a more nimble creature and of somewhat firmer flesh; whence he should seem longer lived; but he is much more salacious and therefore shorter lived.

THE ELEPHANT is bred in the hot East and South countries: That of India is the largest, being about thirteen feet high, and seven broad; and is much the largest of all land animals. It is for the most part of a mouse colour, or black. The skin is so hard, that a sharp sword cannot penetrate through it, especially on the back; the most tender part being under the belly. Its eyes are like Swine's. It has four teeth on each side, with which it grinds its meat like meal; besides these, it has two others which hang out beyond the rest; in the male downwards, in the female upwards: Those of the male are the largest; those of the female are smaller, but sharper. One of them it keeps always sharp, to revenge injuries; and with the other it roots up trees and plants for its meat. The



A MOUNTAIN GOAT 56



GOATS









AN ELEPHANT

ee  
 on  
 (th  
 we  
 pre  
 on  
 bun  
 me  
 out  
 ton  
 wh  
 rece  
 At  
 pass  
 pre  
 take  
 can  
 it h  
 sure  
 pro  
 if  
 of e  
 ord  
 out  
 and  
 ill t  
 her  
 t, a  
 tron  
 gr  
 rac  
 t wi  
 on h  
 ions  
 locil  
 hing  
 red  
 bloo  
 of ah



teeth of the male of this beast grows to be ten feet long; some Elephants teeth have been seen, that (they say) have weighed singly three hundred pounds weight. The teeth of the female are reckoned more precious than those of the male. These they lose once in ten years; which falling off, they carefully bury in the earth, (as is thought) on purpose that men may not find them. The two teeth hanging out, beyond the rest are ivory. The Elephant's tongue is very small, but broad: his trunk, through which he draws breath, serves him as an hand to receive his food; it is crooked, grissly, and flexible. At the root, next to the nose, in the trunk, are two passages, one into his body and head, by which he breathes, and the other into his mouth, whereby he takes in his food. With this he fights in war, and can take up a small piece of money from the ground. It has joints in its legs, which it can bend at pleasure. Its feet are round like a Horse's and vastly broad. It is a great lover of wine, and will drink, (if same be true) about fourteen gallons at a time of either wine or water. It goes with young, according to some writers, three years, and others but two years; and brings forth but one at a time, and that but little bigger than a Calf, and grows still thirty. When it crosses a river, the dam takes her young up with her snout, with which she grasps it, and carries it safe over. The female is more strong and courageous than the male, and will bear a greater burden: but in war the male is more graceful, because taller. When it is most loaded, it will go swift; and can carry a wooden tower upon his back, and thirty men, with their ammunition and provisions of war. It is one of the most docile of all animals, and may be taught to do many things. If it receives no hurt, it will live an hundred years, and sometimes two hundred. The blood of the Elephant is observed to be the coldest of all animals.

THE OPOSSUM is in shape and size something like our Badger, but of a lighter dun colour; with a long tail like a Rat's, but thicker. The skin of its belly is very large, and folded so as to meet like a purse, wherein it secures its young while little; which will naturally run thither. In this false belly it will carry its young. It feeds upon fish. It is bred in Virginia.

THE POTTO (so called by the Negroes, but by the English, *Sluggard*, from its lazy sluggish nature, a whole day being little enough for it to advance ten steps forward) is said, when he climbs a tree, not to leave it till he has eaten up, not only the fruit, but the leaves also, and then descends fat and in good case; but before he can get up another tree, he becomes very lean, at least, if he does not perish with hunger. It is such an horrible ugly creature, that scarce any thing besides can be found so disagreeable.

THE COATI MONDI is an animal of Brazil having a snout of about a foot long; which is much bigger in proportion than any other part of his body. His eyes are small, like a Pig's; and his ears round, like those of a Rat. The fore feet have each five toes; those of the fore paws are longer than those of the hinder. Its hair is short, rough, knotty, and of a blackish colour on the back; and the rest of the body a mixture of black and red.

THE TATUS, or ARMADILLIO, is bred in Guinea and the West Indies. It is covered with an hard shell, like the fins of a fish, which seems to be buckled to his back, like a coat armour, within which the beast draws up his body, as an hedgehog does within his prickled skin. It is not much bigger than a little Pig, resembling that creature in his snout, ears, legs, and feet. Its tail is very long, like a Rat's; and covered all over with a scaly shell. Its mouth is wider than a Swine's. Upon his fore feet are four toes, and upon his hind feet five toes.

# OPOSSUM

60

78



# THE POTTO

79



# THE COATI MONDI

80



# THE TATUS

81











## FOX SQUIRREL



82

FLYING  
SQUIRREL

GROUND SQUIRREL

ENGLISH  
SQUIRREL

WEE SQUIRREL

83



OF SQUIRRELS there are three kinds bred in Virginia. The first is the great Fox Squirrel, much larger than the English, and grey; this sort is very common, and as good to eat as a Rabbit. The second is the Flying Squirrel, of a light dun colour, and less than the English. The skin, on either side the belly extended, is very large, betwixt the fore leg and hind leg, which helps it in skipping from one bough to another. This sort, tho' less, will leap farther than the Fox Squirrel. The third is the Ground Squirrel, a little bigger than a Mouse, finely spotted, like a young Fawn. The English Squirrel is about the size of a Weefel, but hardly so long. Its head, tail, and colour, are much like those of a Fox. It will, like other squirrels, leap from bough to bough, crack nuts, feed on fruits and vegetables; and is very acceptable to the ladies.

THE WEESEL has a long and thin body. There are some of this species of different colours, as red, brown, black, and some all white. There are two sorts, one a domestic Weefel, living in houses, barns, &c.; the other wild, living in the woods and mountains. In the northern parts of Europe there are prodigious quantities of white Weefels. The ladies of the first rank in Russia clothe themselves with their skins, instead of ermine, which is very costly. The domestic Weefels kill and destroy Rats, Mice, and Moles; as also Hens, Chickens, Eggs, &c. There's nothing more strange than what is reported of their conception and generation; for they are said to engender at the ear, and bring forth their young at the mouth.




LIZARDS are of various species; some of the largest having a tail about a foot long, and an hand broad. The Lizard is of a dark colour, but half the head is red. There are some other sorts of Lizards which are green, and some grey; the last much less than the first; and these are suffered to creep up and down the chambers (at the Guinea factories) cleaning them from all vermin: these, according to some, are called *Salamanders*. Lizards are bred in Spain, Portugal, &c.

THE FERRET is a bold creature, enemy to all others, but those of its own kind. It is in size and make somewhat like a Weefel. It breeds in England, but not in several other countries of Europe. Here it is tamed, to hunt Rabbits out of their holes in the earth; but it is put in always muzzled, lest it should kill them, and suck their blood in their burrows, which it is very greedy of. Its head is little, like a Mouse's, and its eyes very fiery. The tame of this species, live upon milk, barley, bread, &c. and the wild upon the blood of Rabbits, Hares, Hens, Chickens, and other creatures, that it can surprise and overcome.

THE MARTIN is about the bigness of a Cat, having a longer body, but shorter legs, with head and tail like a Fox's. Its skin is somewhat brown, with white on the throat, and yellow on the back. Its teeth are exceedingly white and unequal, one longer than another, and most prodigiously sharp. In the lower chap stands six small eating teeth, in a right line over-against one another, which don't happen in any other beast. The grinding teeth are like a saw, triangular in fashion, being eight above and eight beneath. It is bred in several countries, as France, Italy, Sweden, and Muscovy; but not without some difference: the skin of this creature bears great price; princes and noblemen being clothed therewith.



## A LIZARD



## GREEN LIZARD



85

## A FERRET




86

## THE MARTIN









A. CROCODILE

T  
nd  
s, be  
aw.  
parts  
acer  
that  
unto  
all th  
ny o  
rec  
lack  
ag u  
moo  
is fr  
a nev  
out  
white  
his fi  
get  
ng  
ad a  
e fi  
hath  
him  
e li  
ales  
ong  
cre  
fs o  
is n  
fli  
ard,  
e C  
ot e  
ung  
out  
urin  
eg  
tch



THE CROCODILE is a creature that liveth on land and water. Its colour is like to saffron, that is, betwixt yellow and red, but more inclining to yellow. The belly is somewhat whiter than the other parts. Its body is rough, being covered all over with a certain bark, or rind, so thick, firm, and strong, that it will not yield, (and especially about the back unto a cart wheel, when the cart is loaded; and in all the upper parts, and the tail, it is impenetrable by any dart, or spear: But the belly is softer, wherein it receiveth wounds more easily. The covering of its back is distinguished into divers divided shells, standing up, far above the flesh; but on the belly it is more smooth. The head of this beast is very broad; and its snout is like a Swine's. When it eateth or biteth it never moveth its under chap. The opening of the mouth reacheth to the place of his ears. Its teeth are white, long, sharp, a little crooked and hollow. It has sixty joints or bones on the back, which are tied together with so many nerves. The tail is near as long as the whole body, and the same is also rough, and armed with hard skin upon the upper part, and the sides; but beneath, it is smooth and tender. It hath fins upon the tail, by the benefit whereof it swimmeth; as also by the help of its feet, which are like a Bear's, except that they are covered with scales instead of hair. Its nails are very sharp and long. It is doubtful whether it hath any place of excrement, except the mouth. By reason of the shortness of its legs, his pace is very slow; and therefore it is not very difficult for a man to escape from him by flight; especially, if he does not go straight forward, but turns and winds out of the direct path; for the Crocodile's body is so hard and stiff, that it cannot easily turn and wind after him. It brings forth young every year; and lays its eggs (which are about as big as a Goose's) in the earth or dry land. During the space of threescore days it lays every day an egg; and within the like space of time they are hatched into young ones, by sitting or lying upon them

G

them by course, the male one while, and the female another; which is in a moderate and temperate season; otherwise they perish, and come to nothing. So soon as the young ones are hatched, they instantly fall into the water. The Crocodile is thought to live sixty years: Some have thought that the Alligator is a distinct species from the Crocodile; but it is the received opinion of the Naturalists, that it is no other than a Crocodile not arrived to its full growth. There are many Crocodiles in Egypt, about the river Nile, in the West Indies, &c. Those about the Nile are much the largest; some of them being (according to very credible testimony) not less than thirty feet long.

WITH regard to the length and shortness of life in animals, the information procurable is but slender, observation slight, and tradition fabulous. Tame creatures are corrupted by a degenerate life; and wild ones intercepted by the inclemency of the weather. Neither do the things which may seem concomitant assist us much in this inquiry; as the bulk of the body, the period of gestation, the number of young, the time of growth, &c. these being complicated considerations, that sometimes concur, and sometimes not.



THE SEA EAGLE OR OSPREY





**T**  
ine  
ings  
ill to  
ver  
ongu  
ne ti  
ufty  
erved  
as fo  
f a  
whole  
white  
ne b  
herec  
get a  
nd  
ercen  
TH  
e th  
een t  
ne en  
p to  
nd to  
rom  
ating  
d Eap



A  
DESCRIPTION  
OF  
B I R D S.

---

BOOK II.

**T**HE GOLDEN EAGLE is in length, from point of beak to tip of tail, about three feet nine inches: the breadth, from tip to tip of the wings extended, is eight spans: the length from the bill to the talons, is four spans and a half. The bill is very strong, crooked, and exceeding sharp: the tongue is like a man's, broad, round, and blunt at the tip: the feathers of the neck are hard, and of a dusky colour: the eye by nature is very carefully preserved; for, instead of one, as in other animals, it has four lids or covers for it: the wings and tail are of a dusky colour: the other small feathers of the whole body are of a chesnut colour, sprinkled with white spots, fewer on the back, more on the belly; the bottoms of all being white: the legs are feathered down to the feet, of a dusky colour; the feet are yellowish: it has four talons, very sharp and crooked. This fowl is of an extraordinary fierceness, and will assault a Cat, Dog, &c.

THE SEA EAGLE, or *Osprey*, (which seems to be the same with the English Bald Buzzard) hath been thus described: From the point of the beak to the end of the talons is about three feet long; from tip to tip of the wings nine spans broad. The bill and tongue are very much like the Golden Eagle's. From the chin hang down small feathers like hair imitating a beard; whence by some it is called the Beard-Eagle. The feathers of the whole body are par-

ty-coloured, being whitish, dusky, and rusty: Its legs are almost wholly covered with dusky feathers, somewhat inclining to yellow: besides the feathers, the whole body is covered with a white and soft down, as the skin of a Swan: the talons are very black and hooked. This Eagle feeds only on fish.

THE BLACK EAGLE is about twice as big as a Raven. The jaws and eye-lids are bare of feathers, and somewhat reddish; the head, neck, and breast black. In the middle of the back between the shoulders, it has a large white spot dashed with red; the rump red: the lesser rows of feathers in the wings are of a Buzzard colour; then a black streak or bar crosses the prime feathers, after that a white one; the remaining part of the feathers to the tips, of a dark ash colour: the eyes are of a hazle colour: the legs are feathered down a little below the knees, the naked part being red: the talons are very long.

THE Eagle called MORPHNOS, or Morphn Congener, is about the height and bigness of a large dunghill Cock: its beak is pretty long, hooked, and tending almost directly downward: the colour of the feathers is rusty, like that of old iron, except that at the end of the wings it hath many spots. The legs are all over feathered down to the beginning of the toes, and sprinkled with whitish ash-coloured spots: the feet are yellow; the toes above, toward the leg covered with scales; toward the talons, with round tables.

THE VULTURINE EAGLE, called *Gypætes* is of a very large size, being not much less than the Golden Eagle, but of an unusual and ridiculous shape: the beak, not as in other Eagles, bending from the root to the tip, but straight almost to the middle toward the point bowed into a remarkable hook, after the same manner as in Vultures. The whole head whitish, inclining to dusky (*fuscum*.) The upper part of the neck, about half way down, almost bald, beset with very few, and those small feathers of a white colour. At the end of this bald part, almost



BLACK EAGLE.



MORPHNOS  
EAGLE



VULTURINE EAGLE









71

MOOR BUZZARD



10

A GOSHAWK



11

SPARROW HAWK



12

H2

in the middle of the neck, grow small feathers, like certain rough curled hairs, standing up above the rest of the plumage, as it were very fine, slender, long bristles. It hath on the back a kind of hood, reaching to the middle thereof, ending in a sharp peak. The colour of the whole body is a dark chesnut, inclining to black; the tail long; the feet and legs white, and the claws dusky.

THE MOOR BUZZARD is less than the common Buzzard, of about the bigness of a Crow. The crown of the head is of a kind of clay colour; the whole body, as well lower as upper side, is of a dark dusky colour; only at the middle joint of both wings there is a spot of the same reddish clay colour with the head; and the feathers at the root or rise of the tail are dun. The tail is about nine inches long, being party-coloured, of a dark and light yellow, or grey; the legs are about an hand-breadth long, feathered down a little below the knee, longer, and tenderer, for the bigness of the bird, than in others of this kind: the legs and feet are yellow, the talons black.

THE GOSHAWK is bigger than the common Buzzard. The colour of the head, neck, back, and upper side of the wings, is of a dark brown: the whole breast and belly white, with transverse black lines, standing very thick; the thighs are covered over with reddish feathers, having a black line in the middle down the shaft; the legs and feet are yellow; the talons black, the beak blue: the wings, when closed, fall much short of the end of the train, by which alone, and its bigness, it is sufficiently distinguished from all other Hawks: the train is long, of a dun colour, with four or five cross blackish bars standing at a great distance from each other. It takes not only partridges and Pheasants, but also greater fowls, as geese and Cranes; sometimes also it catches Rabbits.

THE SPARROW-HAWK is about as big as a large Wood-Pigeon. Its beak is short, hooked, red, and black toward the tip; the tongue thick, black,



black, and a little cleft; the eyes of a mean size; the crown of the head is of a dark brown. Above the eyes, and in the hinder part of the head, sometimes are white feathers: the bottoms of the feathers in the head and neck are white; the rest of the upper side, back, shoulders, wings, and neck, are of the same dark brown, except some feathers of the wings, which are spotted with white; the colour of the under side, viz. the neck, breast, belly, sides, and wings, is various, of white and blackish, or russet; the wings when closed, scarce reach to the middle of the tail: the thighs are strong and fleshy; the legs long, slender, and yellow; the toes also long; the talons black. It lays about five white eggs, spotted near the blunt end with blood-red specks. It feeds only upon birds; and, for its bigness, is very bold and courageous.


THE KITE, or *Glead*, is bigger than the common Buzzard; the head and chin are of a pale ash colour, varied with black lines along the shafts of the feathers; the neck is red, the middle part of the feathers being black, the back dusky, or brown, like a Buzzard; the feathers next the tail are of the same colour with it, having their middle parts or shafts black; the lesser rows of wing feathers are party-coloured, of red, black, and white; the feathers covering the inside of the wings are red, with black spots in the middle; the tail is forked, the colour red, the extreme feathers blackish, and the tips of all are white; the bill is black, the tongue broad and thick; the eyes are great; the legs and feet yellow, the talons black. By the figure of its tail alone, it is distinguished from all other birds of prey. Her tail serves her for a rudder to direct her flight thro' the air, whence some have thought, that men learned the art of steering a ship by this bird. It is a very bold bird, and a great destroyer of young poultry. When it sees a young duck, chicken, &c. far from shelter, or by any other means lying fit and exposed to rapine, it singles it out and flies round for a while, marking it; then of a sudden it darts down, and catches it up before it is aware.

THE MOUNTAIN FALCON is near as b



A KITE

15



THE MOUNTAIN  
FALCON

11







THE RED INDIAN  
FALCON

15



THE GREAT BUTCHER BIRD

16





a Goshawk, but shorter bodied. It has a round head and breast, a taper crown, and black, encompassed with a kind of ash-coloured coronet: in the forehead, not far from the beak, stand up certain very fine and slender feathers, as it were hairs, among the black and brown ones; which yet are but few, and in some birds none at all: the throat, as far as the breast-bone, is somewhat whitish, besprinkled with great spots; the rest of the breast is beautified with certain marks, which are sometimes of the colour of rusty iron, sometimes red, and sometimes blackish; besides these, it has other smaller specks; the back and wings are covered with small brown feathers. It is said to prey only upon great birds, neglecting the smaller.

THE RED INDIAN FALCON is about the bigness of the Mountain Falcon. Its head is of an ashy colour, tending to brown; as is also the neck, the whole back, and the outside of the wings; the whole breast, and also the upper part of the inside of the wings, the belly and the rump, the hips and thighs, are all fulvous, or red, of a pale vermillion colour; but the chin in this red colour is marked with a long ash-coloured spot, produced downwards: the breast so before is sprinkled with small specks of the same colour: the legs and feet are yellow, pretty thick and strong; the talons black and very sharp.

THE great BUTCHER BIRD or *Mattagefs*, in the north of England is called *Werkengel*: in some parts of Germany it is called by a name, which in our language signifies *Ninekiller*, because it is said to kill nine birds before it ceases, or every day nine. It is in bigness equal to the common Blackbird; the head, back, and rump are ash-coloured; the chin and belly white; the breast and lower part of the throat varied with dark lines, crossing each other; the tips of the feathers of the wings are for the most part white; the utmost feathers of the male are all ever white, the two middlemost have only their tips white, the rest of the feathers being black: the legs and feet are black. It builds among thorny

shrubs, dwarf-trees and bushes: making its nest of moss wool, and downy herbs, but the bottom of heath, on which it lays soft and tender stalks of hay, and commonly lays six eggs. It feeds mostly on insects, yet doth it often kill small birds.

THE MERLIN is one of the least birds: our Falconers use for hawking; it being not much bigger than a Blackbird. The back and upper part are party-coloured, of a dark blue and brown; the flag-feathers of the wings black, with rusty spots, the train is about five inches long, of a dark brown or blackish colour, with transverse white bars: the breast and belly are of a rusty white, with brown spots: the legs are long, slender, and yellow; the talons black. Below the head it has a ring of yellowish white, incircling the head like a coronet. In the male the feathers on the rump, next the tail, are bluer; by which note, and its bigness, Falconers discern the sex; for the female in this, as in other birds of prey, is greater than the male, being of a colour less red, with a certain mixture of blue. The Merlin, tho' the least of Hawks, yet for spirit and mettle gives place to none. It strikes Partridges on the neck, with a fatal stroke, killing them in an instant. No Hawk kills her prey so soon.

THE HONEY BUZZARD for bigness equals or exceeds the common Buzzard; and is also like it in figure or shape of body. The head is ash-coloured; the crown flat, broad, and narrow toward the beak: the bottoms of the feathers in the head and back are white: the colour of the back is of a Mouse-dun; the tips or the flag-feathers, as also those in the second and third rows in the wings, are white; the feathers under the chin and tail are white; the breast and belly also white, spotted with black spots; the legs are feathered down below the knee, short, strong, and yellow, as are also the feet: the talons long, strong, sharp, and black. It builds its nest of small twigs, laying upon them wool, and upon the wool its eggs: Runs very swiftly.

A MERLIN

8



THE HONEY BUZZARD

9












THE

VULTURE

6



THE BUZZARD

7



The  
 Eagle  
 is fa  
 fine  
 receive  
 cient  
 with  
 laugh  
 firm  
 wing  
 for th  
 down  
 der th  
 cloth  
 with  
 her on  
 in big  
 rered  
 to the  
 The  
 the bi  
 head  
 short,  
 fleshy,  
 our of  
 ng to  
 ind h  
 of the  
 ear lik  
 he lon  
 over t  
 re of a  
 yellow  
 dots.  
 ristles.  
 hers, b  
 he who  
 eshy:  
 own a

THE VURTURE is somewhat bigger than an Eagle. Its beak is large and crooked at the end. It is said, that the Vulture has an excellent sagacity of smelling, above all other birds; so that it can perceive the savour of dead carcases from afar. The ancients have delivered, that the Vulture is content only with dead carcases, abstaining from the rapine and slaughter of living animals. But some moderns affirm, that it pursues living birds, and preys upon living Fawns, Hares, Kids, Lambs, &c. Its neck is, for the most part, bare of feathers. The craw hangs down, like a bag, before the stomach, or breast. Under the throat it has a space of about an hand-breadth, clothed rather with hairs, like to those of a Calf, than with feathers. That the female, contrary to the manner of other birds of prey, doth not exceed the male in bigness. That all the inside of the wings is covered with a soft-fleece of down, which is peculiar to the Vulture alone, among rapacious birds.

THE common BUZZARD, or *Puttock*, is about the bigness of a Pheasant, or young Pullet. The head is great, the crown broad and flat, the beak short, hooked, and of a dark blue. Its tongue is thick, fleshy, and blunt, as in the rest of this kind: the colour of all the upper part is of a dark dun, approaching to black, or a rusty black. Some birds of this kind have many white spots in the covert feathers of the wings, which, when the wings are spread, appear like a white line: the like white spots it hath in the long feathers springing from the shoulders, which cover the whole back: The edges of these feathers are of a dirty yellow; the lower side of the body of yellowish white: the breast is stained with rusty spots. Between the eyes and nostrils grow long black bristles. On the middle of the back grow no feathers, but only down; for the scapular feathers cover the whole back: the thighs are long, strong, and fleshy: the legs short, thick, and strong, feathered down a little below the knees; the legs and feet yel-




low, and covered with scales. It feeds upon Mice, Moles, and Birds, and is a great destroyer of Rabbits. Buzzards eggs are white, stained with a few great reddish spots; some times all over white without spots.

THE little BUTCHER BIRD, called in Yorkshire, *Flusker*, is about the bigness of a Lark, and hath a great head. About the nostrils and corners of the mouth grow black hairs or bristles: the back and upper side of the wings are of a rusty colour; the head and rump of an ash; the throat and breast is white, dashed with red. It builds its nest of grass, bents, and feathers; and lays six eggs, towards the sharper end almost wholly white, towards the blunter end encompassed with a circle of brown, or dark red.

THE CUCKOW is about the bigness of a Magpie; its length, from the tip of the bill to the end of the tail, being above twelve inches; the upper chap of the bill somewhat hooked, and longer than the lower, for the most part of a dark or blackish colour; the nether part of a pale or whitish yellow: the inside of the mouth, and the tongue, are of a deep yellow, or saffron colour; the throat, breast, and belly are white; the feathers of the head are of a dark brown, with white edges; the neck and back are brown, with a tincture of red; the rump is ash-coloured; the covert feathers of the wings are of the same colour with those on the back, only the outmost darker. Its feet and claws are yellow; it hath two back toes; it feeds on Caterpillars and other Insects. The Cuckow herself builds no nest, but having found the nest of some little bird, she either devours or destroys the eggs she there finds, and in the room lays one of her own, and so forsakes it; the silly bird returning, sits on this egg, hatches it, and with a great deal of care and toil broods, feeds, and cherishes the young Cuckow for her own, until it be grown up and ready to fly, and shift for itself: which thing seems so strange, monstrous, and absurd, that the learned and ingenious Dr. Willoughby, in his Ornithology, published by the learned and ingenious



LITTLE BUTCHER  
BIRD



17

THE CUCKOW



18





83



A RAVEN

24

A CROW

25



J3

Mr. F.  
uced  
y na  
en it

TH  
ngth  
il, al  
nd ve  
ut no  
eather  
blende  
il and  
ing to  
n fruit  
thes;  
ter th  
ountri  
ear all  
old.  
begin  
ots.  
o or 5

THE  
an th  
ngth.  
lour c  
the  
rd del  
als wh  
ours li  
oreove  
ngland  
eddles  
ees, an  
aven, l  
gacious  
rd sme



Mr. Ray declares, that he could not have been induced to believe that such a thing had been done by nature's instinct, had he not with his own eyes seen it.

THE RAVEN is a very large fowl, being in length, from the tip of the bill to the end of the tail, about two feet. The bill is long, thick, sharp, and very black; the upper chap somewhat hooked but not so as an Hawk's; the lower straight; the feathers are black all over the body, having a blue splendour, or gloss, which is seen especially in the tail and wings: the belly is something paler, inclining to brown. It has large crooked claws, feeds on fruits, insects, the carcases of beasts, birds, and fishes; sets upon, and kills, and devours living birds, after the manner of Hawks. Ravens abound in all countries, they being hardy birds, that will easily bear all changes of weather, fearing neither heat nor cold. The Raven lays about five or six eggs before it begins to sit, of a pale greenish blue, full of black spots. This bird is said to live to a very great age, 100 or 50 years or upwards.

THE Common or CARRION CROW, is lesser than the Raven, being about eighteen inches in length. The bill is strong, thick, and straight. The colour of the whole body is black, only the bottom of the feathers of a lead or darkish colour. This bird delights to feed upon the carcases of dead animals when they begin to putrify. It kills and devours living birds in like manner as the Raven; moreover, it eateth grain, and all sorts of insects, in England at least. For beyond seas (they say) it meddles with no sort of grain. It builds upon high trees, and lays four or five eggs at a time, like the Raven, but less. The Crow is said to have a very disagreeable scent, so that it is difficult to shoot it, the bird smelling the gunpowder afar off.

**THE ROOK** is something bigger than the Crow. It has no craw, but, instead thereof, the gullet below the bill is dilated into a kind of bag, wherein it brings meat to feed its young. Its colour is black, but brighter than that of the Crow. The Rooks build many together, upon high trees about gentlemen's houses, who are much delighted with the noise they make in breeding time. Both cock and hen sit by turns. Their eggs are like a Crow's but less, spotted with great spots. It is said, that when Rooks build, one of the pair always sits to watch the nest till it be finished, whilst the other goes about to fetch materials; else if both go, and leave the nest unfinished, as sometimes they venture to do, their fellow Rooks, ere they return again, will have robbed them, and carried away to their several nests all their sticks, and whatsoever else they had got together. Hence, perhaps, the word *Rooking* is used for cheating or abusing. Young Rooks are good food.

**THE JACKDAW** is much less than the Crow. It has a large head, and a strong bill. The hinder part of the head, as far as the middle of the neck inclines to an ash colour, as also the breast and belly but less; else the whole plumage is black, with a kind of blue gloss; the fore part of the head is of a deeper black. It feeds upon nuts, fruits, seeds and insects. Jackdaws usually frequent and build in ancient castles, towers, cliffs, houses, and stone walls especially if they be desolate and ruinous. They lay five or six eggs, lesser, paler, and having fewer spots than those of Crows. The Jackdaw may be taught to imitate the human voice like a Magpie.

**THE MAGPIE** is about the bigness of the Jackdaw; and, excepting the whiteness of the breast and wings, and the length of the tail, it is very much like that bird. The head, neck, throat, back, rump, and lower belly, are of a black colour; the breast and sides are white, as also the first joint of the wing the wings are smaller than the bigness of the body would seem to require. 'Tis a very crafty and

26



A ROOK

JACK DAW



A MAGPIE









87

A JAY



29

THE TOUCA



30

31

THE ROLL



...ning bird, and may easily be taught to speak, and  
...t very plainly. It builds its nest in trees, with  
...t art and cunning as is admirable, fencing it  
...nd on the outside, both above and below with  
...rp thorns, leaving only one hole, and that a very  
...row one, for itself to pass in and out by.

THE JAY is less than a Magpie. The feathers of  
the head and body of this bird are taller, slenderer,  
and stand more staring, and erect than ordinary.  
Near the lower chap of the bill are two black spots,  
each side one; the chin and lower part of the  
belly whitish; else the breast and belly are of a co-  
...r mixed with ash and red; the rump above is  
...ite; the back red, with a certain mixture of  
...e; the wings are very beautiful, being chequered  
...h black, white, and lovely shining blue lines; the  
...is wholly black. Its eggs are of an ash-colour,  
...h darker spots, scarce appearing.

THE TOUCANIAN-PIE, or Brazil, is about the  
...e of a Magpie. It is said that the bill of this bird  
...thicker and longer than almost the whole body  
...ides; and of a yellowish colour: The head in pro-  
...tion to the body, is great and thick, as is suitable  
...l requisite to sustain a bill of that length; the  
...d, neck, and wings are black; the breast shines  
...h a most bright and lovely gold, or saffron colour,  
...h a certain redness near the beginning; the belly  
...l thighs with a most beautiful vermilion: the tail  
...black, but in the end of a notable red. It is said  
...t this bird, to secure her young from the Mon-  
...s, when she perceives the approach of those ene-  
...s, so settles herself in her nest, as to put her bill  
...at the hole, and gives the Monkeys such a wel-  
...ne therewith, that they presently pack away, and  
...glad they escape so.

THE ROLLER is about the bigness of the Jay.  
The bill is black, sharp, and something hooked; the  
...d is of a sordid green, mingled with blue; of  
...h colour is also the throat, with white lines in  
...middle of each feather: the breast and belly are

of a pale blue, like those of a Pigeon; the middle of the back, between the shoulders, is red; the rump and lesser rows of covert-feathers of the wings are of a lovely blue; the feet are short, and like those of a dove, of a dirty yellow colour.

THE PARROT hath a great head, an hard beak and skull. This bird in descending, or climbing up boughs, grates, &c. first catches hold with her bill as it were with an hook, then draws up her body, then fastens her feet; then reaching up higher, claps on her beak again, and so puts forward her body and feet by turns. The Parrot only, with the Crocodile, moves the upper jaw, as all other animals do the lower; the tongue is broad, and resembles a man's: the feet are of singular fashion, for they have not three toes standing forward, and one backward, but two each way, like Woodpeckers. In wit it exceeds all other birds. It is said that a Parrot, which fell out of King Henry the Eighth's palace at Westminster, into the river Thames, that runs by, the very seasonably remembering the words it had often heard somewhere, in danger or in jest, used, cried out again, *A boat, a boat for twenty pounds!* A certain experienced boatman made thither presently, took the bird and restored it to the king, to whom it knew it belonged, hoping for as great a reward as the bird had promised. The king agreed with the boatman, that he should have as the bird being released, anew should say; and the bird answered, *Give me a groat.* Parrots are bred in the East and West Indies. They breed not in cold countries; for they are impatient of cold, so that they can hardly live in our winters, unless they be kept in hot places. They are said to be very long-lived. There are several kinds of Parrots, differing both in size and colour. In the foregoing description belonging to Parrots in general, I shall forbear to give a particular description of each; but have given the figures of three, viz. the Common, the White Crested, and the Parrot of the Macao.



A COMMON PARROT

25

90



THE  
CRESTED  
PARROT



THE  
CACAO







19



20

GREY OWL



COMMON OWL

21



FERN

22





THE HORNED OWL is in length, from the point of bill to the end of the tail, about fourteen inches; its width, measuring from tip to tip of the wings extended, three feet and four inches; the feathers which cover the lower belly and legs are reddish; in the throat and breast, the middle parts of the feathers are black, the outer parts partly white and partly yellow; those under the wings are red: the covert feathers of the wings are party-coloured, of a dark ash and yellow; the back of the same colour with the wings; the horns are above an inch long, consisting of six feathers: the legs and feet are feathered down to the claws, which are black.

THE GREY OWL is bigger than the common Barn Owl. The head, back, wings, and tail, are of an ash-colour speckled with whitish and black spots. Under the wings the feathers are white, with blackish spots. The bill is very great, thick, round, and full of feathers. In all respects it is like the Common Owl.

THE common BARN OWL, or White Owl, is about the bigness of a Pigeon. Its bill is white, hooked at the end, more than an inch and an half long. This bird hath a circle of white, soft, downy feathers, encompassed with yellow ones, beginning from the nostrils on each side, going round the eyes and under the chin, somewhat resembling a black hood, such as women used to wear; so that the eyes appear to be sunk in the middle of these feathers; the breast, belly, and covert-feathers of the wings are white, marked with a few dark spots. The head, neck, and back, as far as the prime feathers of the wings, variously, and of all night birds the most elegantly coloured; the legs are covered with a thick down to the feet; but the toes are only hairy, the hairs thin set.

THE FERN OWL, or Churn Owl, or Goat Sucker, is a very beautiful bird for colour, being more like a cow than an Owl; and it is easily distinguished from other Birds, by the structure of its bill and feet. Its bill in proportion to the body, is the least of all birds, and is crooked. It has a huge wide mouth and swallow. On the sides of the upper chap of the bill, as also under the chin, it has stiff black hairs, like bristles; the under side of the body is painted with black and red; the legs are very small in proportion, feathered on the fore-side

half way. It is found in the mountainous woods in many places in England, as in Yorkshire, Derbyshire, &c.

THE common GREEN WOODPECKER, or Woodspite, is about the size of the Jay: the top of the head of crimson, or vermillion colour, spotted with black; the eyes are encompassed with black; under the back, on each side, is another vermillion spot: the throat, breast, and belly, are of a pale green; the back, neck, and lesser rows of covert-feathers of the wings green; the rump of a pale yellow or straw colour. This bird has a straight hard, strong, and sharp bill. Its tongue is of a very great length, with which it strikes Ants and other insects.

THE NUTHATCH, or Nutjobber, is less than a Chaffinch: the head, neck, and back are of an ashy-colour; the sides under the wings red; the throat and breast of a pale yellow; the lower belly, under the tail, hath some red feathers, with white tips; the chin white. It builds in the holes of trees, and if the entrance be too big, it doth artificially stop up part of it with clay, leaving only a small hole for itself to pass in and out by. It is a pretty sight to see her fetch a nut out of her hoard, place it fast in a chink, and then standing above it, with its head downwards, striking it with all its force, break the shell, and catches up the kernel.

THE WALL-CREEPER, or Spider Catcher, is bigger than a House-Sparrow. It hath a long, slender black bill: the head, neck, and back, are of an ashy-colour, the breast is white; the wings partly of an ashy-colour, and partly red. It is a brisk and cheerful bird, and hath a pleasant note. It builds its nest in the hollows of trees.

THE OX-EYE-CREEPER is a very small bird, scarce bigger than the Copped Wren. It hath a long slender, sharp bill; the throat, breast, and belly white; the head, back and wings, inclining to a Fox-colour, the middle parts of the feathers being whitish. Above the eyes, on each side, is a white spot. It is frequent in England, and builds in the hollows of trees; lays a great number of eggs, sometimes (they say) not fewer than twenty.

COMMON GREEN  
WOODPECKER



THE NUTHATCH



WALL CREEPER



OX EYE CREEPER











A Peacock

A  
ntly  
ke ip  
ng c  
n the  
rds,  
nder  
eir  
ur.  
pale  
e ru  
il a  
egan  
os of  
e ci  
loun  
e, a  
t of  
older  
e fo  
pphi  
dney  
n-co  
ach,  
th t  
this  
y, c  
orou  
raw  
ve i  
ll k  
tref  
TH  
a l  
ogel  
purp  
for  
ds v  
ws

A PEACOCK is a bird well known, and sufficiently characterised by the length and glorious eye-like spots of his tail. His head, neck, and beginning of the breast, are of a deep blue. It hath a tuft on the top of its head, not entire, as in some other birds, but consisting of a kind of naked, but very tender green stalks, or shafts of feathers, bearing on their tops, as it were, lily flowers of the same colour. The neck is long, and very slender; the back pale ash-colour, besprinkled with many black spots; the rump of a deep green: The long feathers of the tail are of a chefnut colour, beautified with most elegant gold lines, tending upwards, but ending in tips of a deep green, and forked like a Swallow's tail: The circular spots, or eyes of the feathers, are partly coloured; of a deep green, shining like a chrysolite, a gold, and a sapphire colour. Those eyes consist of four circles of different colours; the first a golden, the second a chefnut, the third a green, and the fourth, or middle place, is taken up by a blue or sapphire-coloured spot, almost of the bigness of a kidney-bean. The hips, legs, and feet, are of an ash-colour, with black spots; the belly, near the stomach, is of a bluish green. Its food is the same with that of the common Cock and Hen. The flesh of this fowl resembles much in taste that of a Turkey, only rather coarser; though dressed ever so thoroughly, yet, when cold, it appears as if perfectly raw; and has been proved by experience (as we have it from good authority) that, when dressed, it will keep a great while, even some months, without strefaction.

THE TURKEY (*represented in next plate*) is as tall as a Peacock; its neck, together with its head, is together bare of feathers, and only covered with purplish-coloured skin. The feathers of this bird somewhat resemble an Hawk's, and have their ends white. It hath very long legs; its toes and claws have the same distinction and figure with the



dunghill Cock. Turkeys love hot countries; yet they can bear cold ones after they are grown up, and have been used to them; but their young chickens are very tender, and not to be reared without care and attendance. The antipathy this fowl hath against a red colour, so as to be much moved and provoked at the sight thereof, is very strange.

THE common Cock being so well known, it will be but lost labour to bestow any words about it. It is a very courageous and high-spirited bird, that, if of a good breed, will rather die than yield; and being a most lecherous bird, doth suddenly grow old and seldom liveth above ten years. It hath been delivered and received by ancients and moderns, with unanimous consent and approbation, that the Lion is afraid of a Cock, cannot endure the sight of him, yea, is terrified by his very crowing, and divers reasons sought and assigned for this antipathy; whereas the thing itself is, by experience, found to be false.

THE PHEASANT is a large bird; weighing forty or fifty ounces, according to its being fatter or leaner. The crown of the head, and upper part of the neck, are tintured with a dark green, shining like silk, which colour is more faint on the crown of the head. The sides of the neck, and the throat are of a shining purple colour. The feathers under the chin, and at the corners of the mouth are black with green borders; below the green, the rest of the neck, the breast, and shoulders, middle of the back and side under the wings, are cloathed with a most beautiful colour, which, as it is diversely objected to the light, appears either black or purple. The legs are armed with spurs, shorter than in a Cock but sharp, and of a black colour. The Hen is no thing so beautiful as the Cock, almost of the colour of a Quail. It lives in the woods; and feeds upon acorns, berries, grain, and seeds of plants: Is accounted better meat than most other fowls, as well because it is rare, as because it is of a most delicate taste, and yields so excellent nourishment.



A TURKEY

98

45



A Cock




A PHEASANT





## A PARTRIDGE



## A QUAIL






THE Common PARTRIDGE is in weight about fourteen ounces: the chin and sides of the head are of a deep yellow or saffron colour; the Cock has on his breast a red mark, of a semi-circular figure, resembling a horse-shoe; the hen has not so much red on her breast: below the chin, as far as the horse-shoe mark, it is of a bluish ash-colour, adorned with black lines, running across; the upper side of the body is party-coloured, of a red, ash, and black. It feeds upon Ants, Ants eggs, the grains of corn, and also upon green leaves. It layeth sixteen or eighteen eggs before it sits. In winter time Partridges fly in company, for they are of that nature, that they breed, and bring up fifteen or sixteen together, which company all winter with the old ones; but in the spring-time, when they pair together, they fly by two and two; for then the old ones beat away the young from them.

THE QUAIL is the least bird in this kind, being in length about seven inches: the colour of the breast and belly are of a dirty pale yellow, the throat hath a little mixture of red; the head is black, only the edges of the feathers reddish; the middle part of each covert feather of the back, and lower part of the neck, is marked with a yellowish white stroke; the wings are of a dusky colour, crossed with pale red lines; the tail is not above an inch and a half long. Pheasants Partridges, Quails, and some other birds, are taken by a net, by the help of a setting-dog, trained up for this sport, who finds out the birds, and when he sees them, either stands still, or lies down on his belly, not going very near them, lest he should spring them; but, looking back, on the fowler his master, wags his tail, by which the fowler knows that the birds are near the dog; and so he and his assistant run with the net, and cover both birds and dog.

THE OSTRICH is the greatest of all birds. When it holds up its head, it approacheth the the height of two yards. The head is small, flat-crowned like a Goose's. The head and neck, almost as far as the breast, are bare of feathers, as are also the thighs. The head and neck are covered with a certain down, or thin-set hairs, instead of feathers. The sides under the wings, and the thighs, are absolutely bare. The lower part of the neck, where the feathers begin, is white. The wings are small, and altogether unuseful for flying, designed by nature only to assist the bird in running. The feathers on the back in the Cock are coal-black, in the Hen only dusky; so soft that they resemble a kind of wool. The wing feathers are of the same colour beneath, but above in their upper part purely white. The tail is thick, bushy, and round; in the Cock whitish, in the Hen dusky, with white tops; which feathers are in great request for soldiers hats, helmets, &c. It swallow iron, leather, bread, hair, and whatever else you offer it; howbeit it doth not digest iron, and other hard things, but voids them entire by excrement. Its eggs are as big as a young child's head, covered with an hard and stony shell; which, being buried in the sand, are cherished only by the heat of the sun, till the young be excluded. Ostriches are bred in Africa, America, and Arabia.

THE CASSOWARY, or EMEU, is almost as big as the Ostrich. It hath an horny crown on the top of the head. The head and neck are bare of feathers, only thin-set with an hairy down. In the lower part of the neck hang down two wattles of flesh, as low as the breast, of a vermillion colour. The back part of the neck is likewise destitute of feathers, from the head all along; being also of a red vermillion colour; the lower part covered with some red feathers, wherewith black ones are intermingled: the feathers covering the whole body, with those on the lower part of the neck, next to the breast, belly, and thighs, are all double, two coming out



10

AN OSTRICH



11

CASSOWARY









the head and up-



KINGFISHER

36



HOOPOE

37



BEE-EATER

38



WATER OUZEL

39

the fam  
 other,  
 that fo  
 bird af  
 feather  
 and to  
 under  
 nature  
 each fo  
 oe. T  
 TH  
 parro  
 ure o  
 s of t  
 ail is  
 hers w  
 most  
 green.  
 o the  
 which  
 that l  
 TH  
 he b  
 ts bi  
 nd f  
 mo  
 dou  
 he n  
 which  
 of  
 endi  
 nd t  
 TH  
 ead  
 he ne  
 he b  
 eepe  
 hieft  
 wall  
 T  
 a b

the same small short pipe, and lying the one upon the other, and of a blackish colour; these feathers have that form and situation, that to those that behold the bird afar off, its skin appears to be covered, not with feathers, but only with hairs, seeming like a Bear's, and to want wings; tho' it has wings, which lie hid under the feathers covering the sides. It is a gentle-natured bird, and easily made tame; has three toes on each foot, all standing forward, and wants the back toe. This bird is found on the Molucca Islands, &c.

THE KING-FISHER is something bigger than a sparrow. The chin is white, with a certain mixture of red; the middle also of the breast, or belly, is of the like colour. The lower belly under the tail is of deep red, as are also the sides and feathers under the wings. The breast is red, the utmost borders of the feathers being of a dirty bluish green. From the neck, thro' the middle of the back to the tail, it is of most lovely bright, but pale blue, which, by its splendour, is said to hurt their eyes that look long and intently upon it.

THE HOOPOE is in length, from the point of the bill to the end of the tail, about twelve inches. Its bill is two inches and a half long, black, sharp, and something bending. The head is adorned with most beautiful crest, two inches high, consisting of a double row of feathers, reaching from the bill to the nape of the neck, all along the top of the head, which it can at pleasure set up or let fall. The neck is of a pale red; the breast white, with black strokes extending downwards. The rump is white; the wings and back are varied with white and black cross lines.

THE BEE-EATER is as big as a Blackbird. The crown of the head is red, but in some birds, having something of green mixt; the neck and shoulders are green, with a certain mixture of red; the belly and breast, as far as the chin, are blue; this colour is deeper near the chin, fainter on the breast and belly. It feeds chiefly on bees; flying in the air, it catches and preys on them, as swallows do on flies.

THE WATER-OUZEL, or Water-Crake, is nearly as big as the common Blackbird: the head and up-

upper side of the neck are of a dark dusky colour, or black, with an eye of red; the back, and both prime and covert feathers of the wings, are party-coloured, of ash and black; the under side of the neck, and fore part of the breast, are milk-white. It feeds upon fish, yet refuseth not insects. It is to be met with in several counties of England; is a solitary bird, companying only with its mate in coupling and breeding-time.

THE TURTLE DOVE is something less than a common Pigeon. Its head, and the middle of its back, are blue, or ash-coloured; the breast and belly white; the throat tinged with a lovely vinaceous colour. Each side of the neck is adorned with a spot of beautiful feathers, of a black colour, with white tips. The wings are dusky and ash-coloured.

THE STOCK DOVE, or *Wood Pigeon*, is as big or bigger than a common Pigeon: the colour and shape of the body is almost the same with that of a common Pigeon; the bill also alike, of equal length and of a pale red colour.

OF TAME PIGEONS there are divers sorts which vary very much in colour, as do most other domestic birds; and therefore I shall content myself with little more than the bare mention of the names of some of them, they being generally well known.

The *Runt* may be distinguished by *greater* and *lesser*; the greater is more sluggish, and of slower flight; the lesser is a better breeder, more nimble and of a swifter flight.

The *Cropper*, so called, because it can, and usually does, by attracting the air, blows up its crop to the strange bigness, that it exceeds the bulk of the whole body.

The *Broad-tailed Shaker*, called Shaker, because it does almost constantly shake, or wag its head and neck up and down: there is the *Narrow-tail'd Shaker*, which differs only in the narrowness of its tail as the name imports.



TURTLE DOVE

STOCK  
DOVE

RUNT



CROPPER



BROAD TAIL'D

SHAKER









STERLING

56



RING OUZEL

57



58

BLACK  
MARTIN

59



THE MARTIN

L. 3



A STARE, or Starling, is of the bigness and shape of a common Blackbird. The tips of the feathers on the neck and back are yellow; the feathers under the tail of an ash-colour; else they are black all the body over, with a certain blue or purple gloss, varying, as it is variously exposed to the light. In the tips of the feathers on the breast and belly, and the very throat, are white. Starlings company with Redwings and Fieldfares, yet do not fly away with them, but abide with us all the summer, breeding in the holes of towers, houses, trees, &c. It lays four or five eggs, lightly tinged with a greenish blue.

THE RING-OUZEL nearly resembles the common Blackbird in bigness, figure, and colour, but hardly so dark: the top of the head, the shoulders, back, wings, and tail, are of a dark brown or dusky colour. Its bill is every way like the Blackbird's, excepting the colour, which in this is of a dark brown blackish. It is usually conversant about rocks, and the steep cliffs of high mountains.

THE BLACK MARTIN, or Swift, hath a great head; and huge wide mouth; but a very small bill. The colour of the feathers of the whole body is black, only under the chin is a spot of white or ash-colour. Its legs are very short, but thick; its feet very small. They say, that by reason of the length of its wings, and shortness of its legs, if it happens to alight, or fall on the ground, it cannot raise itself again, but may easily be caught. Wherefore it is either always fly, or sit upon the tops of church-towers, or other ancient buildings.


THE MARTIN, or Martinet, or Marlet, is somewhat less than the common Swallow. Its feet, to the very claws, are covered with a white down; by which it is easily distinguishable from all its fellows of the Swallow kind. Its head, neck, back, tail, and wings, are of the same colour with the House-Swallows. Its rump, breast, and belly, milk white. The bill is less forked than the House-Swallow's. It is a very tame and innocent bird; it builds its nest of

mud, with a great deal of art, under the eaves of houses, windows, &c. feeds upon flies and other insects.

THE Common HOUSE-SWALLOW is on the head, neck, back, and rump, of a very lovely shining purplish blue colour: the throat is of the same colour with the neck; the breast and belly are white, with a dash of red. The tail is forked, consisting of twelve feathers; the utmost of which are an inch longer than the next, and end in sharp points. The wings are of the same colour with the back. Swallows build in chimneys; and feed upon flies, worms, and other insects. What becomes of Swallows, Martins, and some other birds, in winter-time, whether they fly into other countries, or sleep in hollow trees, and the like places, natural historians are not agreed; nor indeed can they certainly determine. It seems more probable, that they fly away into hot countries, *viz.* Egypt, Ethiopia, &c. than that either they lurk in hollow trees, or holes of rocks, and ancient buildings, &c. as has been reported.

THE REDSTART is about the bigness of a Robin Red-breast. The breast, rump, and sides under the wings, are red; the lower belly is white: the head, neck, and back, are of a lead colour. It feeds upon insects, and comes to us in summer-time. This bird is said to be of a very dogged and sullen temper; for if it be taken when old, it will be difficult to make him feed; but if taken young, and brought up, it becomes gentle and very tame. The Redstart is thought to be the shyest of all birds; for if she perceive you to mind her, when she is building, she will forsake what she has begun; and if you touch an egg, she never comes to her nest more; and if you touch her young ones, she will either starve them or throw them out of their nest, and break their necks, as has been found by experience more than once. If this bird be kept warm in winter, it will sing as well in the night as the day, and will learn to whistle, and imitate other birds.

A SWALLOW



REDSTART











ROBIN RED BREAST

62



SKY LARK

63

THE  
own  
of i  
house  
d, fo  
r-tim  
withd  
olitary  
k its  
e shr  
eeds  
a fo  
to th  
distin  
legs,  
ch g  
ng of

LARK  
s, 1.  
ch is  
the ea  
ing as  
n Sky  
arrow,  
es in  
tho'  
we fi  
are f  
y, Jul  
y; fo  
m as  
run  
m gon  
ught u  
n Shee  
are a  
when  
d, hem  
le egg

THE ROBIN RED-BREAST is a bird so well known in almost all countries, that little need be said of it. In winter-time, to seek food, it enters in-houses with much confidence, being a very bold, sociable, and familiar with man. In the summer-time when there is plenty of food in the woods, it withdraws itself into the most desert places. It is a solitary bird, and feeds singly; whence the proverb takes its rise, *Unum arbutum non alit duos erithocos*: the shrub doth not produce two Robin-red-breasts. It feeds upon insects, ants eggs, crumbs of bread, &c. As a song-bird, it is, by some, esteemed little inferior to the Nightingale. The male may be known, distinguished from the female, by the colour of its legs, which are blacker; and by certain hairs, which grow on each side of his bill, and his breast of deeper red.

LARKS are distinguished from other sorts of birds, 1. By their long heel or claw of the back toe, which is the characteristic mark of these birds. 2. By the earthy colour of their feathers. 3. By their rising as they fly, mounting up in the air. The common Sky-Lark is not much bigger than an House-lark, yet longer bodied. It builds its nest sometimes in plain open ground, under some high grass, tho' in the winter we see great flocks of them; but we find the fewest of their nests of any birds. They are so plentiful. It breeds thrice in a year, in May, July, and August, rearing her young very suddenly; so that, if you have a nest, you must take care as soon as they are spoon-feathered, or else run the risk of losing them; for they will get soon gone of a sudden. Young nestlings may be brought up almost with any meat; but if you give them Sheep's heart and egg chopped together, till they are about three weeks old, it will not be amiss; when they come to eat alone, give them oat-meal, hemp-feed, and bread, mixed together, with a little egg.

THE Common BLACKBIRD is very little less than a Fieldfare; the Cock whistles and sings very pleasantly all the spring and summer-time. The blackbird builds her nest very artificially, without side moss, slender twigs, bents, cemented or joined together with clay, daubing it also all over within with clay, and covering the clay with small straw bents, hair, or other soft matter, upon which she lays her eggs. She lays four or five eggs, of a bluish green colour, spotted.

THE REDWING is rather less than the Thrush. The upper side of the body is of the same colour with that of the Thrush; the breast not so much spotted; the covert feathers of the under side of the wings, and of the sides of the body under the wings, which in the Thrush are yellow, in this kind are of a more orange colour; by which mark it is chiefly distinguished from it; the belly is white, the throat and breast yellowish, spotted with dusky spots. It comes to us from beyond the seas, as the Fieldfare, with which it flies in company, observing the same time of coming and returning.

THE FIELDFARE is somewhat bigger than the Blackbird. The head, neck, and rump, are ash-coloured; in some, of a deep blue; the crown of the head is sprinkled with black spots: the back, shoulders, and covert feathers of the wings, are of a deep red, or chestnut colour; the middle part of the feathers being black: the throat and upper part of the breast are yellow, spotted with black; the bottom of the breast and belly is white and less spotted. Fieldfares fly in flocks together with Stares and Redwings; they shift places according to the season of the year. About the beginning of autumn come over incredible flights of them into Britain, which stay all winter and in spring fly all back again, not one bird remaining. It is said, that there were never seen any young Fieldfares, or Redwings, or so much as a nest of those birds, in Britain. Whether they betake themselves, or where they breed, is not perfectly known.



BLACK BIRD



RED WING



FIELDFARE







A CARRIER



A 'TUMBLER

A LIGHT  
HORSEMAN

MISSLE BIRD



52

A THRUSH



The  
eon,  
our.  
of, t  
rkish  
t tho'  
her,  
ere th  
The  
of c  
ning t  
w like  
The  
ent a  
akes  
and  
bree  
fe to  
that  
recei  
THE  
a B  
k, tai  
e unc  
eckle  
part  
tail,  
ing u  
he sp  
nd in  
acco  
HE  
break  
spots  
te: t  
with  
not  
es a  
ds it  
with



The *Carrier* is of equal bigness with a common Pigeon, or somewhat less, of a dark blue or blackish colour. It is said, Carriers have been, and are made use of, to convey letters to and fro; chiefly in the Turkish Empire. For the nature of these birds is such, that tho' carried far away, they will return speedily thither, to where they were bred or brought up, or where they had hatched and brought up their young. The *Tumbler* is a small sort of Pigeon. Tumblers are of divers colours; they have strange motions, turning themselves backward over their heads, and flying like footballs in the air.

The *Light-horseman* is a bastard kind, of one parent a Cropper, and the other a Carrier; and so takes of both, as appears by the wattles of its throat, and its swollen throat. Light-horsemen are the best breeders of all, and will not lightly forsake any place to which they have been accustomed. It is said that a Pigeon will breed for twenty years; and receives no hurt, live about thirty.

THE MISLE-BIRD, or *Shrike*, is somewhat bigger than a Blackbird: the head is of a lead-colour; the back, tail, and rump, have some mixture of yellow. The under side of the body, from the bill to the tail, is speckled with pretty great blackish spots. The upper part of the breast, the sides, and feathers under the tail, are yellow; the middle of the belly white. It sits upon the tops of high trees, as oaks, elms, &c. In the spring, it sings rarely well. It abides the year round in England, and breeds there: It is a solitary bird, accompanying and flying only with its mate.

THE SONG-THRUSH, in the colour and spots of its breast and belly, agrees with the Mistle-bird; for its spots are dusky, the breast is yellowish, the belly white: the upper surface of the body is all over dusky with a mixture of yellow in the wings; the Cock is not known from the Hen by its colour. It sits all the year, and breeds in England. It builds its nest outwardly of earth, moss, and straw, and within daubs it with clay; laying its eggs and

young upon the bare clay. It lays, at one sitting, five or six eggs, of a bluish green colour, speckled with few small black spots. In the spring-time it sits upon trees, and sings most sweetly; but it builds in hedges.

THE WOOD-LARK is distinguished from the common Lark by the following marks. 1. Whistling like a Blackbird. 2. A circle of white feathers encompassing the head, from eye to eye, like a crown or wreath. 3. The first or utmost feather of the wing being much shorter than the second, whereas in the common Lark it is nearly equal. 4. The utmost feathers of the tail have white tips. 5. That it sits upon trees. 6. It is lesser than the common Lark, but has a shorter, thicker, or rounder body, for its bigness. It builds most commonly in lays, where the grass has been pretty rank, and is grown russet, under some large turf, to shelter its nest from the wind and weather.

THE CRESTED-LARK differs from the common Lark. 1. In bigness. 2. In the crest. 2. In the colour of the back, which is less spotted, and not so beautiful. 4. In the measure of the tail, which in this bird is shorter. 5. In that it soars not so much in the air; and, when it mounts up, stays not so long there. 6. It flies not in flocks, as they do. Lastly, It is often seen about the banks of lakes and rivers.

THE NIGHTINGALE, being the chief of singing birds, is about the bigness of a Goldfinch or Redstart, and long-bodied. Its colour on the upper part, viz: head and back, are of a deep gold colour with a certain mixture of green, like that of a Redwing. Its tail is of a deeper red; its belly is white; the parts under the wings, the breast, and throat are of a darker colour, with a tincture of green. It is well known from its singing by night; is impatient of cold, and therefore in winter time either hides itself, or flies away into hot countries. It breeds about the month of May, building its nest of the leaves of trees, straw, and Moss; and lays four or five eggs. It seldom sings near its nest, for fear of discovering it, but generally about a stone's cast distance.

WOOD LARK

64



CRESTED LARK

65



A NIGHTINGALE

66










73

FOOLLISH  
SPARROW

74

HOUSE  
SPARROW

75



BULLFINCH

76



M 2

THE RING PARAKEET is about fourteen inches long; its bill is thick, and all over red: the head and all the body besides, green; but the neck, breast, and whole under side, more faint, or pale; the upper side deeper coloured. It hath a red circle, or ring, which encompasseth the backside of the neck: this ring is behind of the breadth of one's little finger, but grows narrower by degrees towards the sides, and ends under the lower chap of the bill. The belly is of so faint a green, that it seems almost to be yellow; the tail is also of a yellowish green; the legs and feet are ash-coloured. This is said to be the first of all Parrots brought out of India into Europe; and the only one known to the ancients for a long time, to wit, from the time of *Alexander the Great*, to the age of *Nero*.

THE FOOLISH SPARROW is in bigness equal to the Common Sparrow. The colour of its whole body is yellowish, spotted every where with oblong, rusty, or rather red spots, which on the back are longer and bigger than elsewhere. The bill is red, thick, and short; the eyes great; the tail and wings incline to black.

THE Common HOUSE-SPARROW is everywhere so well known, that I shall only present you with the figure.

THE BULFINCH is a very docile bird, and will easily imitate the sound of a pipe, or the whistle of a man with its voice. This bird is much esteemed in England for its singing, and deservedly, for therein it is thought to excel all small birds, if you except the Linnet. The head, for the proportion of the body, is great. In the male, a deep scarlet, or crimson colour adorns the breast, throat, and jaws, as far as the eyes; the crown of the head is black; the rump and tail white; the neck and back grey, with a certain tincture of red; the feet are black. The Cock is of equal bigness to the Hen, but hath a flatter crown, and excels her in the beauty of his colours.

THE GOLDFINCH, or *Thistle-Finch*, is a very beautiful bird; for the elegancy of its colours, and sweetness of its singing, every where well known and highly esteemed. It is of a mild and gentle nature, nor so scared and affrighted at the presence of a man, as to strike its bill and wings against the sides of the cage, as most other birds do. It builds its nest in thorns and trees; and lays six or seven eggs.

THE Common LINNET is about the size of the Goldfinch. It is kept in cages with us for the sweetness of its singing; for it hath a sweet note, and is thought to excel all other small birds. It builds in black or white thorn bushes, and lays four or five eggs.

THE *Red-headed* LINNET is something less than the Common Linnet: the crown of the head is adorned with a red colour, but not very bright; the rest of the head and neck round about of an ash-colour. The shoulders, back, and covert feathers of the wings are red; the breast is tinged with red. It hath a fine note, equal to the common Linnet, and builds after the same manner. It is common on the sea-coasts.

THE YELLOW-HAMMER is of the bigness of a Sparrow. Its head is of a greenish yellow, spotted with brown; the throat and belly are yellow, the breast and sides, under the wings, mingled with red: the rump is reddish. Yellow Hammers build upon the ground; being every where in England most common.

THE WATER-WAGTAIL is a bird so well known, that it may seem enough to name it. It is much conversant about the brinks of rivers, ponds, and other watery places, where it catches flies and water insects. It builds upon the ground among corn, making its nest of bents, and the stalks of herbs, spreading hairs within under the eggs. It lays one time four or five eggs.

THE CANARY-BIRD is of the bigness of a common Titmouse. It hath a very sweet and fine



77

ALINNET

78

RED HEADED  
LINNET

79

LOW  
MER

WATER  
WAGTAIL

81

CANARY BIRD

82





BALEARIC  
84

CRANE



te, which at one breath, continueth for a long time without intermission; it can draw out sometimes in length, sometimes raise very high, by a various and almost musical inflection of its voice, making very pleasant and artificial melody. The sound it makes is very sharp, and so quavering, that sometimes when it stretches and exercises its little throat and chaps, whistling with all its force, it vehemently strikes, and even deafens the ears of the hearers with its shrillness. Many are delighted with this kind of singing; many also are offended, saying, that they are stunned and deafened with it.

THE CRANE is a large bodied fowl, weighing sometimes ten pounds. Its neck and legs are very long. The top of the head is black; from the bill to the hinder part covered with black hairs, or bristles, rather than feathers: the throat and sides of the neck are of a black hue: the back, shoulders, covert-feathers of the wings, breast, and all the belly and thighs, are ash-coloured. In the fen countries in Lincolnshire, and Cambridgeshire, there are great flocks of Cranes; but whether or no they breed in England is not certainly known. Though the Crane is a water-fowl, yet it is thought not to feed at all upon fish, but only upon herbs, grain, and seeds of every sort; and also upon insects. The flesh of these fowls is very savoury, and well tasted, not too delicate.

THE BALEARIC CRANE is in the shape of its body like a Stork. It hath upon its head a thick round crest, made up with bristles spread every way, like to Hog's bristles, of the colour of the prickles of a common Hedgehog; by which note it may at first sight be known from all other birds. It is found in the country near Cape Verde. For bigness it is equal to our country Crane. This bird roosts after the manner of a Peacock, whose voice and conditions it also imitates. It feeds upon green herbs, and, together with Hens and Peacocks, devours barley, and other grain.

THE WREN is a very small bird. It builds its nest sometimes by the walls of houses, in the back-sides of stables, but more commonly in woods and hedges. The nest is of the figure of an egg, erected upon one end, and hath in the middle of the side a door, by which it goes in and out. It lays nine or ten eggs, and sometimes more at a sitting. It is strange to admiration, that so small a bird should cover so great a number of eggs; and more strange that it should feed such a company of young, and not miss one bird, and that in the dark also. Being kept tame it sings sweetly.

TITMICE are a sort of small birds that are found for the most part about trees; and live chiefly upon insects which they find there. There are several sorts of these birds, viz. the *Marsh Titmouse*, the *Black-cap*; the *Blue Titmouse*, or *Nun*; the *Crested Titmouse*; the *Long-tailed Titmouse*, and some others. Some of these build in holes of trees; others make nests of an oval figure, with an hole left open in the side to go in and out at. They never sit long in one place, but flit from bough to bough, and from tree to tree: they have short bills, small bodies, and long tails.

THE *Long-tailed INDIAN SPARROW* is equal bigness to our House-Sparrow. It hath a short thick bill, of a scarlet colour. Its wings are of three colours chiefly; 1<sup>st</sup>, blackish and greenish; 2<sup>d</sup>, white, as appears in the figure; 3<sup>d</sup>, a black; and 4<sup>th</sup>, a yellowish colour. The throat, breast, and belly are white; the tail is double, as in the Peacock and of two colours; the lesser, which sustains the greater, being as it were its prop, is white; the greater, consisting of four very narrow feathers, nine inches long, is of a deep black. The legs and feet are spotted of black and white; the talons are black, and as in birds of prey, very sharp and hooked.

MARSH  
TITMOUSE

AWREN

126

70



BLUE  
TITMOUSE



CRESTED  
TITMOUSE



INDIAN  
SPARROW

LONG TAILD  
TITMOUSE









VIRGINIAN  
NIGHTINGALE

67



BLACK CAP

68



HUMING BIRD

69



THE VIRGINIAN-NIGHTINGALE is nigh as big as a Blackbird. It has a tuft on its head of a scarlet colour; with which colour also the neck, breast, and belly are adorned: the ends of the wings are not of so deep a scarlet, as neither is the tail; the colour of the whole is a lovely scarlet, only the head and tail more faint. Seeing its image in a glass, it has many strange gesticulations, making an hissing noise, lowering its crest, setting up its tail after the manner of the Peacock, shaking its wings and striking at the looking-glass with its bill.

THE BLACK-CAP is a very small bird, not weighing above half an ounce: the top of the head is black; whence it took its name, the neck of an ash-colour; the whole back of a dark green; the wings of a dusky colour, only that their edges are a little green: the tail is also of a dusky colour, with a little tincture of green; the nether part of the neck, the throat, and upper part of the breast, are of a pale ash-colour; the lower belly white, tinged with yellow. This bird is common in Italy; it is also found in England, but more rarely.

THE HUMMING-BIRD is the least of all birds: the head, together with the feathers, is of the bigness of a mean-sized sweet cherry; the neck is three quarters of an inch long; the body an inch and a quarter. The body, together with the feathers, is scarce equal in bigness to a Spanish Olive. Its colour is wonderfully resplendent: A green, (such as is seen in the necks of Peacocks) with a golden flame-colour, and yellow, are so strangely mixed, that being exposed to the sun-beams, it shines admirably. It makes its nest in the boughs of trees, of the bigness of an Holland schilling, and lays very white eggs; two, for the most part, of an oval figure, not bigger than pease. It is fed and nourished with honey-dew, and the juice of flowers, which it sucks out of them with its bill. It flies very swift, and make a humming noise, like a Hornet, or Bee; hence it took its name in English, of Humming-Bird.

THE Common HERON is, from the tip of the bill to the end of the claws, four feet long; to the end of the tail, about 38 inches. It hath a black crest on the head four inches high: the feathers on the crown of the head and the chin are white: the neck white and ash-coloured, tinged with red: the throat white, being delicately painted with black spots: the breast, back, and wings, are various, inclining to yellow, ash, and black. It feeds upon fishes, frogs, &c. Herons build sometimes on the tops of great trees, like Rooks, and, for the most part, many together.

THE Lesser ash-coloured HERON, called by the Germans, the *Night Raven*, is lesser than the common Heron, and hath a shorter neck. Its beak and crown are black; its neck ash-coloured; its throat and belly tinged with yellow. A white line is extended from the eyes to the bill. From the hinder part of the head it hath a crest of three feathers, five inches long, hanging down over the back, whereby it differs from all other birds. Its wings and tail are of an ash-colour; its bill black; its legs and feet of a yellowish green. This bird is called *Night Raven* because in the night time it cries with an uncouth voice like one that strains to vomit.

THE BITTERN is near as big as the common Heron; its head is small, narrow, or compressed at the sides; the crown is black; the throat and sides of the neck are red, with narrow black lines; the back is party-coloured of a pale red and black. The back claw of this bird, which is remarkably thick and long above the rest, is wont to be set in silver for a picktooth; and is thought to have a singular property of preserving teeth. This bird when it bellows makes a dreadful noise; and it is said, that it gives always an odd number of bombs at a time, viz. three or five, which, by observation, has been found to be false. It begins to bellow about the beginning of February, and ceases when breeding time is over. The common people are of opinion that it thrusts its bill into a reed, by the help whereof it makes that lowing or drumming noise; others say, that it thrusts its bill into the water, mud, or earth, and by that means imitates the lowing of an Ox. It hides itself commonly among reeds and rushes, and sometimes lies in hedges with its neck and head erect. In the autumn, after sun-set, this bird






A HERON

LESSER  
HERON

A BITTERN








LAPWING

95

RED  
SHANK

94



SWAN

96

N3

is wont  
out of  
poise,  
that bi  
have f  
than th  
for it fi  
nath su  
TH  
ween  
ity of  
colour,  
black a  
the fea  
commo  
one con  
like the  
TH  
and eve  
they ca  
commo  
ellow,  
t buil  
field o  
ome fe  
not see  
n whic  
e so o  
antly  
neir b  
ollow  
ne fur  
e; the  
concern  
lace,  
TH  
ooted  
g ab  
with a  
white,  
owl, f



It wont to soar aloft in the air, so high, that it gets quite out of sight; in the mean time making a singular kind of noise, nothing like to lowing. This without doubt, is that bird our common people call the *Night Raven*, and have such a dread of, imagining its cry portends no less than their death, or the death of some of their near relations; for it flies in the night, and answers their description, and hath such a kind of hooping cry as they talk of.

THE REDSHANK is of a middle size for bigness, between a Lapwing and a Snipe, approaching to the quantity of a Plover. The head and back are of a dusky ash-colour, spotted with black; the throat is party-coloured of black and white, the black being drawn down longways the feathers; the breast is whiter, with fewer spots. It is common on sandy shores; breeds in marshes; and if any one come near its nest, it flies about, making a great noise like the Lapwing.

THE LAPWING is a bird in all countries well known, and every where to be met with. In the north of England they call it *Tewit* from its cry. It is of the bigness of a common Pigeon. It lays four or five eggs, of a dirty yellow, all over painted with great black spots and strokes. It builds its nest on the ground, in the middle of some field or heath, open, and exposed to view, laying only some few straws or bents under the eggs, that the nest be not seen: the eggs being so like in colour to the ground on which they lie, it is not easy to find them, though they be so open. The young, so soon as they are hatched, instantly forsake the nest, running away with the shells on their back, for they are covered with a thick down, and follow the old ones like chickens: they say, a Lapwing, the further you are from her nest, the more clamorous she is; the nearer you are to it, the quieter she is, and the less concerned she seems, that she may draw you from the true place, and induce you to think it is where it is not.

THE tame SWAN is much the biggest of all whole-footed water-fowl with broad bills, some of them weighing about twenty pounds. The whole body is covered with a soft delicate plumage, in the old ones purely white, in the young ones grey. It is a very long-lived fowl, so that it is thought to attain the age of three

hundred years, which by some has been doubted of. My author says, for his part, he could easily be induced to believe it, for that he had been assured, by credible persons, that a goose will live an hundred years, or more. But that a Swan is much longer lived than a Goose, he bringeth many convincing arguments to prove. The Swan feeds not upon fish, but either upon herbs growing in water, and their roots and seeds, or upon worms, and other insects, and shell-fish. Its flesh is black, hard, and tough, being no desirable dainty, yet, for its rarity, serves as a dish to adorn great men's tables at feasts and entertainments. It lays seven or eight eggs, and sits near two months before its young ones are hatched.


THE *Tame* GOOSE I shall say but little of, it being well known in all nations. It is lesser than a Swan, but bigger than a Duck. The colour in these, as in other tame birds, is various; in some brown, in some green, &c. When it is angry, it hisses like a serpent. It is very long lived, as has been mentioned in the description of the Swan.

THE *Tame* DUCK is as well known as the Goose, and there being nothing material in the description of it, I shall only present you with the figure.

THE WIGEON, or *Whever* weighs about 22 ounces; the head, and upper end of the neck, are red; the crown towards the bill is of a faint colour, from red inclining to a yellowish white; the upper part of the breast and sides, as far as the wings, is beautified with a very fair tincture, of a red-wine colour, with small, transverse black lines; the middle of the back is brown. It feeds upon grass and weeds, growing in the bottoms of rivers, lakes, &c. The flesh of it, for delicacy, is much inferior to that of a Teal, or indeed the Wild Duck.

THE KNOT is a small bird, weighing about four ounces and an half. Its head and back are of a dusky or dark grey colour, or dark grey; the rump varied with white and black lines; the breast and belly white; the sides under the wings spotted with brown. About the beginning of winter these birds are said to come into Lincolnshire, where they continue two or three months about

A GOOSE



A DUCK



KNOT

WIGEON  
99







## RUFF

101




## TAMATIA

102



## COOT

103



sea flu  
they  
THE R  
in a K  
g feat  
neck  
ffs. T  
colour  
ing tim  
e to a  
ulted  
ia; th  
ange n  
e, in  
fatted  
ing shu  
on the  
er till  
ed by:  
nting,  
e they  
THE  
rk, or  
Mavis  
s. I  
k. I  
certa  
d and  
wires.  
THE  
ounce  
y, soft  
ck, d  
ken  
it ri  
ong v  
on str  
body  
es; th  
Italy,

sea shores, and away again. They fly in flocks. If they are accounted excellent meat.

THE RUFF, whose female is called a Reeve, is bigger than a Knot. In the Cock birds, a circle, or collar of long feathers, something resembling a ruff, encompasses the neck under the head, whence they took the name of ruffs. There is wonderful, and almost infinite variety in the colour of the feathers of the Cocks, so that, in the spring time, there can scarce be found any two exactly alike as to another. After midsummer, when they have moulted their feathers, they say they become all alike again; the Hens are somewhat less than the Cocks; they change not their colours: these birds breed in summer, in the fens of Lincolnshire, about Crowland: they are fattened with white bread and milk, as are also Knots, being shut up in close dark rooms; for let in but the light upon them, presently they fall a fighting, never giving over till one has killed the other, especially if any body is by: the fowlers, when they see them intent upon fighting, spread their nets over them, and catch them before they are aware.

THE Brasilian TAMATIA is of the bigness of a Thrush, or small Woodpecker, all spotted like a Thrush, or Mavis; on the belly it has white feathers, with dusky spots. It is yellow under the throat, as also about the neck. It hath a long red bill. Above the nostrils stand certain slender feathers, like hairs or bristles. Its head and bill are bigger than the proportion of the body requires.

THE COOT is a pretty large bird, weighing about six pounds: the feathers about the head and neck are long, soft, and thick: the colour all over the body is black, deeper about the head. It builds its nest of grass, reeds, &c. floating on the top of the water, so that it rises and falls together with the water; the reeds, among which it is built, stop it, that it be not carried down streams. This bird, in the figure and make of its body, resembles a Water-Hen. It seldom sits upon the water; the flesh of it is accounted no good meat, except in Italy, where it is esteemed.


THE SNIPE, or SNITE, weighs about four ounces. A pale red line divides the head in the middle longways; the chin under the bill is white, the neck is mingled brown and red; the breast and belly are almost wholly white; the back and wings are of a dusky colour. Its flesh is tender, sweet, and of an excellent relish. It lives especially on the fatty humour it sucks out of the earth, but feeds also upon worms, and other insects. It seeks food in moist and fenny places, rivulets, &c. where also it hides itself, so that it is very hard to find or espy it. Some Snipes abide in this country all the summer, and build in moors and marshes, laying four or five eggs at a breeding time; the greatest part fly away into other countries.

THE GODWIT, called in some places the *Yarwhip*, or *Yarwhip*, in others the *Stone-plower*, is like and equal to a Woodcock, or a little bigger. It lives and seeks food on the sandy shores by the sea-side, which for a great space are uncovered when the tide is out, where it hides itself, not like the Woodcock, but walks up and down the sands in open view, like a Gull.

THE CURLEW is a pretty large sea-fowl, weighing about twenty-five ounces; it is found on the sea coasts on all sides of England. The middle parts of the feathers on the head, neck, and back, are black, the borders or outside edges ash-coloured, with a mixture of red; the rump and belly are white. This bird, for the goodness and delicate taste of its flesh, may justly challenge the principal place among water-fowl; of this Fowlers are not ignorant, and therefore sell them dear. They have a proverb among them in Suffolk.

A Curlew, be she white, be she black,  
She carries twelvepence on her back.





A SNIPE

91



A GODWIT

92



A CURLEW

93





A STORK

88



89

SPOON BILL



90

A WOODCOCK



THE  
e C  
s hea  
ntfid  
hill f  
e bi  
oad,  
er in  
er. l  
mal  
y the  
e oth  
fufet

TH  
ur o  
ll ve  
rd it  
lled  
is fo  
ambe  
rons

THE  
dge.  
of n  
om th  
a rec  
th tr  
mewh  
re of  
ming  
ain in  
re th  
le.  
ulets  
d fly  
licacy



THE Common or White STORK is bigger than the Common Heron; its neck is thicker and shorter; its head, neck, and forepart white; the rump and outside of the wings black; the belly white; the mill feathers of the wings are black; the tail white; the bill long, and red like an Heron's; its claws are broad, like the nails of a man; it is seldom seen either in Scotland or England, and not unless driven over by a storm or wind, or some other accident. It makes a snapping or clattering noise with its bill, by the quick and frequent striking one chap against the other. It readily eats Frogs, Land-snails, &c. but refuseth Toads.

THE SPOON-BILL is a very large fowl; the colour of the whole body is white like a Swan's; the bill very much resembles a spoon, whence also the bird itself is called. In a certain grove, at a village called Savenhuys, not far from Leyden in Holland, this sort of birds build and breed yearly in great numbers on the tops of high trees; where also build Herons, Night-Ravens, Shags, Cormorants, &c.

THE WOODCOCK is somewhat less than a Pidgeon. The upper side of the body is party-coloured, of red, black, and grey, very beautiful to behold; from the bill almost to the middle of the head, it is of a reddish ash-colour: the breast and belly are grey, with transverse brown lines; under the tail, it is somewhat yellowish; the chin is white with a tincture of yellow. Woodcocks are birds of passage, coming over into Britain in Autumn, and departing again in the beginning of Spring; yet they pair before they go, flying two together, a male and a female. They frequent especially moist woods and hedges near hedges. They are said both to come and fly away in a mist. Woodcock's flesh, for the delicacy of its taste, is in high esteem.

THE *Green* PLOVER is about the bigness of Lapwing, the colour of the whole upper side is black thick set with yellowish green spots; the breast brown spotted with yellowish green; the belly white. Its flesh is sweet and tender, and therefore highly esteemed, and accounted a choice dish, as well in Britain as beyond seas. This bird, from its spots, something resembling those of a Leopard, is called *Pardalis*.

THE *Grey* PLOVER is about the size of the former. Its head, back, and lesser covert feathers the wings, are black, with tips of a greenish grey; the chin is white; the throat spotted with brown dusky spots; the breast, belly, and thighs, are white the flesh is also very tender, savoury, and delicate and in no less esteem than that of the former.

THE DOTTREL is something less than the Plover. It is a very foolish bird, but excellent meat; and with some accounted a great delicacy. It is taken the night-time, by the light of a candle, by imitating the gestures of the fowler; for if he stretches out his arm, that also stretches out a wing; if he a foot that likewise a foot: in brief, whatever the fowler doth, the same doth the bird; and so being introduced upon men's gestures, it is deceived, and covered with a net." It is accounted a foolish bird, even to a proverb, we calling a foolish, dull person, a *Dottrel*.

THE Common MOOR-HEN, or *Water-Hen* is bigger than the Plover: the breast is of a lead colour the belly inclining to grey, or ash-colour; the back all over blackish. As it swims, or walks, it often flirts up its tail. It will feed very fat. Its flesh is well tasted, and even comparable to that of Teal. It lives about moats, and great pools of water near gentlemen's houses. It flies with its feet hanging down. It builds upon low trees and shrubs by the water-side, breeding twice or thrice in a summer. Its eggs are white, with a tincture of green, spotted with reddish spots. It strikes with its bill like an Hen. It feeds upon water insects that it finds among weeds, and on grassy banks and borders near water.



GREEN PLOVER

119

104



GRAY  
PLOVER

105



106

DOTREL



107

A MOOR  
HEN

1







## THE TEAL

108




## PELICAN

109



110

## CORMORANT



(12)

THE TEAL is the least of the Duck kind, weighing only 12 ounces; the breast and belly are of a fordid white, or grey colour; the back, and the sides under the wings, are curiously varied with lines of white and black; the wings are all over brown; the tail is likewise of a brown or dusky colour. This bird, for the delicate taste of its flesh, and the whole-some nourishment it affords the body, doth deservedly challenge the first place among those of its kind.

THE PELICAN is a very large sea-fowl, being 60 inches in length, from the point of the bill to the end of his tail, and almost equal in bigness to a Swan: the colour of the whole body is white. It has a bag which hangs down under the bill, which makes the Pelican greatly different from other birds, which it sometimes contracts, and draws up so to the bill, that it is scarce to be seen; at other times it suffers it to be so dilated, as to receive and contain many pounds of water, some say thirty. It feeds upon fish, and lives to a great age, 60 years or upwards. Its voice is said to be like the braying of an Ass.

THE CORMORANT is near as big as a Goose. The colour on the upper side is dusky, shining with an obscure tincture of green; the breast and belly are white. It is very ravenous and greedy of fish, which is its only food. It builds its nest on the sea-rocks, and also upon high trees, in some places of England; which thing is worthy taking notice of; for besides this, and the Shag, we have not known, or heard of any whole-footed bird, that is wont to sit upon trees, much less build its nest upon them.

THE SHAG is somewhat like the Cormorant, but a great deal less. It differs in the colour of the belly which in this is blackish, in that white. It swims in the sea with its head erect, its body almost covered in the water. When a gun is discharged at it, as soon as it sees the fire flash, immediately it pops under water, like a Ducker, so that it is a very hard thing to shoot it.

THE Cornish CHOUGH is like a Jackdaw but bigger, and almost equal to a Crow. It differs chiefly from the Jackdaw in the bill, which is longer and sharper, a little bowed or crooked: the feet and legs are like those of a Jackdaw, but red of colour: the plumage of the whole body all over is black. It frequents rocks, old castles, and churches, by the sea side. It is found, not only in Cornwall, but also in Wales, and all along the western coast of England about the cliffs and rocks near the sea. Its voice is like that of the common Jackdaw, but more hoarse.

THE SCARECROW is of the bigness of a Blackbird. Its head, neck, and belly, are black; its wings are ash-coloured; its tail is a little forked; its legs and feet small; the male hath a white spot under the chin: they fly in flocks for the most part, 20 or 30 together: they catch Gnats, and other water insects: their flesh is good to eat.

THE COCK of the Mountain or Wood, for bigness and figure comes near to a Turkey: there is no need of a particular description of the colour of the feathers of this bird, which varies by age, and perhaps chance also place, and other accidents. It is chiefly black, with transverse lines of white. This bird is found on high mountains beyond seas, and, as they say, in Ireland, but no where in England. The flesh of this bird is of a delicate taste, and wholesome nourishment.



THE SHAG



110



111

CORNISH  
CHOUGHSCARE  
CROW

112




113

COCK OF  
MOUNTAIN





## A WHALF.



THE  
 lo  
 high; th  
 the tong  
 It has o  
 shoulder  
 its colou  
 the back  
 which i  
 under th



A

## DESCRIPTION

OF

## F I S H E S.

---

BOOK III.


**T**HE WHALE is about fifty or sixty feet in length, sometimes seventy, and about twelve high; the length of his chap about eighteen feet: the tongue is said to be as big as a large feather bed. It has only two large fins, which are fastened to the shoulder-blades; the tail is forked like a Swallow's: its colour on the back is blackish, the belly white: the back is commonly full of scars and scratches, which it is supposed to receive from its swimming under the ice.

A  
PARTICULAR ACCOUNT  
OF THE  
Manner of Catching Whales  
IN  
GREENLAND.

**W**HALES are taken in large numbers about Iceland, Greenland, and other northern countries, by the English, Hollanders, &c. Our South Sea Company, for several years, sent annually on this expedition, above twenty sail of ships, every ship being above 300 tons burden, and each carrying forty-five men: this fleet usually sailed about the end of March, but seldom began to fish till the month of May. When they begin their fishery, the ship is fastened or moored, with nose-hooks to the ice. Two boats each manned with six men (which is the complement of every boat in the fleet) are ordered by the Commodore, (who is an officer, and also the head of every ship's company, and appointed on purpose to manage the fishery) to look out for the coming of the fish, for two hours; and then are relieved by two more, and so by turns: these two boats lie at so small distance from the ship, each separated from the other


oc  
u  
S  
e  
ei  
fi  
r  
l  
n  
a  
p  
t  
e  
e  
g  
t  
o  
h

THE GREENLAND WHALING SHIP





AND WHALEFISHERY



ot  
re  
W  
er  
he  
m  
ti  
th  
fe  
ha  
to  
do  
ri  
bo  
m  
hi  
in  
fa  
en  
ni  
ru  
of  
st  
up  
to  
is  
ar  
bo  
re  
ali  
&  
wh  
th  
W  
ou  
ot  
ru  
fa  
in

other, fastened to the ice, with their boat-hooks, ready to let go in an instant, at the first sight of the Whale. Here the dexterity of the Whale-hunters is to be admired: for so soon as the fish shews herself, every man to his oar, and they rush on the monster with a prodigious swiftness; at the same time taking care to come abaft, or behind his head, that he may not see the boat, which sometimes so scares him, that he plunges down again before they have time to strike him. But the greatest care is to be taken of the tail, with which it many times does very great damage, both to the boats and mariners: the harponeer, who is placed in the head or bow of the boat, seeing the back of the Whale, and making the onset, thrusts the harping iron with all his might into his body, by the help of a staff fixed in it for that purpose, and leaves it in, a line being fastened to it, of about two inches in circumference, and 136 fathoms long. Every boat is furnished with seven of these lines, which being let run, from the motion of it they observe the course of the fish. As soon as ever the harponeer has struck the Whale, the third man in the boat holds up his oar, with something on the top, as a signal to the ship; at the sight of which, the man who is appointed to watch gives the alarm to those that are asleep, who instantly let fall their other four boats, which hang on the tackles, two on each side, ready to let go at a minute's warning, all furnished alike with six men each, harping irons, lances, lines, &c. two or three of these boats row to the place where the fish may be expected to come up again, the other to assist the boat that first struck the Whale with line; for the fish will, sometimes, run out two or three boats lines, all fastened to each other; for, when the lines of the first boat are almost run out, they throw the end to the second, to be fastened to theirs, and then follow the other boats, in pursuit of the Whale, and so likewise does the



second boat, when their lines are run out. A Whale sometimes, when she is first struck, will run out above a hundred fathoms of line, before the harpoon-  
neer is able to take a turn round the boats stern, and with that swiftness, that a man stands ready to quench it, if it should fire which it frequently does; and, I am told, there was a boat lately to be seen in the South-Sea dock at Deptford, the head of which was sawed off by the swiftness of the line's running out. Sometimes the Whale is killed on the spot, without sinking down at all. The harping iron would but little avail, to the destruction of this animal; but part of the rowers, either at the first onset, or when, in order to fetch its breath, it discovers itself to view, throwing aside their oars, and taking up their very sharp lances, they thrust it through the body, till they see it spurt the blood through its blower; the sight of which is a most joyful sign of the creature's being mortally wounded. The fishermen, upon the killing of a Whale, are each entitled to some small reward. After the Whale is killed, they cut all the lines that are fastened to it, and the tail off; then it instantly turns on its back; so they tow it to the ship, where they fasten ropes to keep it from sinking; and when it is cold, begin to cut it up. The body of a Whale is frequently found to be eighteen or twenty inches thick of fat; and yields fifty or sixty puncheons of oil, each puncheon containing seventy-four gallons, and about twelve hundred pieces of whale-bone, most of which are about fifteen feet long, and twelve inches broad, which are all taken out of the jaws, being the gills of the fish: the whole produce of a whale being worth one thousand pounds, sometimes more or less, according to the goodness of the fish. Whilst the men are at work on the back of the fish, they have spurs on their boots, with two prongs, which come down on each side of their feet




et, lest they should slip, the back of the Whale  
 being very slippery. These ships have orders to  
 quit those seas by the 24th of June, for then the  
 fish begin to gender, and are very mischievous. The  
 male and female, as the Whale-catchers relate,  
 couple in a most loving manner, by conjunction,  
 reaping, and other tokens of conjugal love; and then  
 swim together, and always preserve the friendship  
 begun, till the female, fired by lust, raising her body  
 perpendicularly quite to her tail, embraces the male,  
 meeting it in the same posture with its fins, as it  
 were with two arms; and they closely continue  
 their careffes for half an hour, or an hour; and af-  
 ter this preserve an inviolable chastity for each  
 other till death. While they swim, it is not easy to  
 distinguish the male from the female, unless from  
 hence, that the latter is bigger than the former.  
 The female has teats, and suckles her young after  
 the manner of land-animals. About ten years ago,  
 the Triton, one of our South-Sea Company's ships,  
 killed a female Whale; and, whilst they were cut-  
 ting her up along side, a young one swam about the  
 ship, and would not forsake the dam, till at length,  
 the Commodore ordered the boat to go out and kill  
 it, which they did, and it produced four puncheons  
 of oil, &c. There is a small fish, by the Whale-  
 catchers called Lodd, of which, if the Whales de-  
 vour any large numbers, they become as it were  
 drunk, and are transported with rage and fury,  
 and exercises outrages against whatever comes in  
 their way. The throat of the Whale is so very  
 strait, that it can hardly take in the arm of a man;  
 therefore it is strange, that this should be the fish  
 that swallowed up Jonah; and more strange, when  
 we are assured by travellers, that no such fish is ever  
 seen in those seas. Some have imagined, that the  
 prophet was only in the mouth of the Whale,  
 which, indeed, is able to hold more than one man;  
 and more possible for a man to continue alive there  
 three

152 MANNER OF CATCHING WHALES, &c.

three days, than in the belly of the fish; and  
Whale often coming up to breathe, might the bet-  
ter afford the man an opportunity to breathe al-  
But it is more probable, that it was not the Whale  
that swallowed up Jonah; for the word *Ketos*, which  
is translated the Whale, may as well signify an-  
other great fish.





REMORA

PILOT FISH

A SHARK

Q. 2



T  
old  
side  
fili  
fist  
pou  
elly  
hey  
d w  
th a  
er c  
een  
ind  
ha  
is  
ruc  
ning  
mes  
ilor  
ack  
ait,  
ron  
Th  
of a l  
moo  
eal's  
Ma  
white  
ende  
evou  
rey f  
Th  
r nin  
ücke  
The  
onger  
eeth.  
wo u  
dge  
nonly



THE SHARK is very large, and reckoned the oldest of all fish. *Rondeletius* says, that he saw a middling one, that weighed near ten hundred weight. *Sililius* says, that he was very credibly informed, that fish of this sort, not weighing less than 4000 nett pounds, being dissected had a whole man found in his belly: and that the people of Marseilles told him, they had caught one in which they found a man armed with a coat of mail. The head and mouth of this fish are large in proportion to the body. The number of its teeth varies according to its age; it having been observed by men worthy of credit, that this kind breeds new teeth every year as long as it lives: it has three rows of teeth, hard, strong, and sharp. It is common in the West Indies, &c. and very destructive to those men who divert themselves by swimming, for it sometimes bites a man asunder, at other times takes away a limb, &c. yet is often caught by sailors. When it seizes its prey, it turns itself on its back. Tho' it is vastly strong, yet when it takes the bait, it is soon taken. This fish, when eaten, tastes strong, and has a very tough skin.

THE PILOT-FISH is of a deep blue; the belly of a lighter colour than the back or sides; the scales smooth, like a Tench's: Its back is speckled like a seal's skin. When swimming it appears much like a Mackrel, and looks as if it were painted blue and white, like a barber's pole. The Shark is generally attended by one or two of these fish, which he will not devour, tho' very hungry, because they find out the prey for him. It is reckoned a very good fish to eat.

THE REMORA, or *Sucking-Fish*, is about eight or nine inches long, of a dark blue colour, having a sucker, about two inches long, on the top of his head. The mouth is wide; the eyes small, the under jaw longer than the upper, with two rows of small sharp teeth. It has two fins, one on each side his gills; two under its belly, two near the tail, and one on the edge of the back. It is of a slimy nature, and commonly sticks so fast to Sharks, and other large fish, as

not to be easily got off. It is said that Remoras are wont to cleave to the keels of ships, and hinder their course.

THE DOLPHIN is a large fish, not much unlike the Porpessæ. It swims with two strong fins, which like the arms of a man, are joined to the shoulder-blade; and is of that swiftness, that it will overtake a ship in full sail before the wind. It produces its young from seed, perfect, one at a time, and sometimes two: it goes with young ten months, and breeds only in the summer. It lives about 25 or 30 years. It generally forbodes a tempest shortly to follow when it frequently moves its body, and sports itself on the water. They are much deceived, who imagine Dolphins to be of the figure they are usually represented on signs; that error being more owing to the unbridled licence of statuaries, or painters, than to any such thing found in fact: though, it must be owned, that at the approach of a storm, whilst the Dolphins, leaping and springing from the waves, are seen to precipitate themselves into the deep, they are wont to deceive our sight, and at that time have some resemblance of crookedness. It is said it will live a long time out of the water: One taken at Rimini (according to Gesner) lived three days upon land. Dolphins sometimes swim in shoals sometimes the male and female together, but never singly. Gellius says, that when he was in a ship where many Dolphins were taken, he observed them so to deplete with groans, lamentations, and floods of tears, their fate, that he could not forbear weeping, and threw that which he observed to groan more than ordinary (the fishermen being asleep) into the water; chusing rather to damage the fishermen, than not to relieve the miserable; but this gave him but little rest, for all the others increased their groans, as seeming, by signs, to beg the same deliverance. It is said that Dolphins have been in great request for food with princes, and purchased at an excessive rate.

THE FLYING-FISH is slender and long, with a large eye: the body is in shape, scales, and co-

## A DOLPHIN

5



## FLYING FISH

6



R 2









12

SEA WOLF



SHEAT FISH

R.3

ur, like one of our Mulletts : the wings and fins are represented in the figure. It flies near a gun-  
 ot before it touches the water; and, when it has  
 et its wings, mounts up again, being chased by the  
 olphin, which swims so swift, that it often catches  
 as it drops into the water.

THE SHEAT-FISH grows to a large magnitude,  
 ne of them weighing sometimes eighty pounds.  
 There was one of them taken in the Wixel, a fa-  
 ous river of Poland, about sixteen feet long, and  
 out two broad. It is much of the colour of an  
 el; it has no scales; and has only one small fin on  
 e back; the tail not forked. Its flesh is much  
 eemed by many for the agreeablehefs of its taste;  
 and is wont to be served up at tables, after the same  
 anner with Eels. All seem to agree in this, that  
 is a very voracious fish, and, wherever it is found,  
 ery mischievous. It is taken in the Elbe, the  
 Wixel, and the Danube; and sometimes, but more  
 rely, in the Rhine; also in certain lakes in Switzer-  
 and, Bavaria, Hungary, &c. especially the lesser  
 and muddy ones; for it seems to love troubled wa-  
 ers.

THE SEA-WOLF is taken at Hilligland, an  
 land not far from the mouth of the Elbe. It is  
 out three feet in length; it has a bigger and a  
 ounder head than a Shark. The back, sides, and  
 ns, are of a bluish or blackish colour; about the  
 elly white. Its whole skin is smooth and slippery,  
 ithout scales. It is of a very voracious nature,  
 and furnished with very destructive teeth. It is said,  
 at it will sometimes fasten on an anchor with its  
 eeth, and leave the print of them behind it. It has  
 double row of sharp and round teeth, ten or  
 welve in a row, both in the upper and lower jaw.



THE BUTTERFLY-FISH is about five or six inches in length; of a faint blue or ash colour; having no scales. It hath a black spot in the fin on its back. Its flesh is soft and tender. At Venice, in the month of October, amongst other fish, it is frequently exposed to sale.

THE TRUMPET, or *Bellows-Fish*, is about three or four inches long, hardly one inch broad: the snout, in proportion to the body, is very large. It is taken in the ocean, when roused by a storm.

THE SUN-FISH has a wide and short body. Its hinder part is environed with a circular fin, which serves it instead of a tail; so that it may seem to be but the head of a fish; or a fish but in part, rather than a whole one. It sometimes weighs an hundred pounds, and is between two and three feet in length. It is not scaly, but covered with an hard, thick, and sharp skin; the colour on the back is black; on the belly a silver colour; its sides partake of both. Its flesh is very soft. Its bones gristly and soft. It is taken in the Mediterranean, and also in the ocean.

THE SEA-ADDER (so called by the people of St. Ives) has a long, smooth, and slender body, without scales. Its colour is a green, tinged with red; the eyes small. It is about the bigness of a Goose quill, and three or four inches long; it has but one fin, and that only on the back.

THE fish called FATHER-LASHER is about three inches long; the head and forepart of the body very large, in proportion to its size; the hinder part towards the tail waxing less. It has no scales. It feeds upon Shrimps, and other small fish, and water insects. It is taken about the coast of Flanders and Holland.

THE *Bull-Head*, or MILLER'S THUMB, is about three or four inches long, seldom comes up to half a foot. It has no scales; the back is yellowish, with a few little black spots. It has a large head, and great round mouth; out of the fins grow





160


13

BUTTER FISH



14

TRUMPET FISH




SUN FISH

SEA ADDER



16



17

FATHER LASHER



18


MILLER'S THUMB

113







## SEA FOX



## MONK



## TURBOT

BUTTER FLY  
FISH

seve  
par  
hor  
less  
por  
on

del  
and  
of i  
for  
eat  
scen  
tim  
rou  
you  
the  
clar  
he)  
we  
thou  
were  
roon  
refe  
take

T  
vast  
pou  
the  
Thi  
wall

T  
long  
uppe  
sprin  
some  
to fe  
and  
much  
ed in



several sharp prickles, or thorns, especially in the parts towards the head; so that it is not easily taken hold of, when alive, without wounding the hand, unless by the tail. It is frequently seen in rivulets, ponds, &c. in the rocks about the sea-shore. It feeds on water-insects.

THE SEA-FOX, or Ape, has (according to Rondeletius) its former name from the length of its tail, and both together, from the craftiness and wiliness of its nature, or else from its unsavoury taste or smell; for it gives so bad and unwelcome a flavour, whilst eating, that it seems to participate much of the strong scent and taste of a Fox. One of them will sometimes weigh 100 pounds weight. This fish is of a roundish and firm body. It is in mighty fear for its young, and when apprehensive of danger, receives them into her belly: of which matter Rondeletius declares himself to have been an eye-witness: for, (says he) when a fish of this kind was dissected on the shore, we saw young ones in its belly, which the fishermen thought it had devoured for food; but seeing they were found to be alive and unhurt, there was no room to doubt that the dam had taken them in to rescue them from danger. This fish is sometimes taken in the Mediterranean.

THE MONK-FISH, or Angel-Fish, increases to vast bulk, and sometimes weighs near an hundred pounds: the colour of the back and sides is darkish; the belly white. It is not approved of as good food. This fish is frequently seen near the coast of Cornwall, &c.


THE TURBOT is sometimes two feet and a half long, and about two broad. It has no scales; all the upper part of the body is of an ash-colour variously sprinkled, and, as it were, marbled with black spots, some greater, and some lesser: this fish gives place to few for goodness, and agreeableness of its taste; and is thought, by some, to excel the Flounder, as much in goodness as in bulk. It is very often caught in the British and German ocean.

THE SWORD-FISH has a snout so resembling the figure of a sword, that from thence it has its name. Its weight is sometimes above an hundred pounds. They are frequently seen fifteen feet in length. It has a longish body; towards the head thick, towards the tail small; a rough skin, black on the back, like a Shark; the belly white; a middling mouth, but no teeth. Its tail is like an half-moon. Sword-fishes are taken off the coast of Naples and the sea of Sicily, after the following manner: spies are placed on high cliffs that hang over the sea, to observe the place and every motion of the fish, that they may tell the fishermen, who wait below in boats, by signs before agreed on, where to steer; which the fishermen observing as soon as they draw nigh to the fish, some one skilled in fishing gets up a small mast in the boat, erected for that purpose, and observes the motion of that fish he designs to strike at; and by signs given, directs the rowers where to row or turn about; and as soon as he is come very nigh the fish, the fishermen with an instrument like the harping-iron strikes the fish, and kills it, something like the manner of killing of Whales. The flesh is esteemed by the natives of those places upon whose coasts these sort of fishes are taken, to be as good as Sturgeon.

THE SEA-UNICORN, (*as represented in next plate*) is found about Greenland, and other Northern islands, and of the nature of the Whale. On the top of the upper jaw, it hath only one tooth, or horn, of a large size, being six or seven feet in length; sometimes more, and in thickness equal in proportion to its length; straight and tapering, curled or twisted about to the end. The female is said to have no horn, but a hollow in that place of the forehead. The horn is made use of by the Dutch as ivory. This fish is about nine feet in length, casts its young like the Whale, which is after the manner of land-animals, and is supposed to receive them into her belly, when danger is near. One of

10

## A SWORD FISH









SEA UNICORN



PICKED DOG



PORPESSE



our  
for  
the  
ler  
tai  
on  
tha  
it t  
acc  
wh  
rou  
wit  
arro  
at t  
the  
the  
and  
som  
war  
skin  
is o  
dle  
geth  
thre  
the l  
ed.  
muc  
pess  
rel a  
to do  
and c  
times  
that  
way  
when  
that,  
distan  
close

our Greenland ships, about eight or nine years ago, found a female of this kind dead on the ice, and in the belly of it a female young one, which was in length, from the tip of its snout to the end of its tail, six feet. It is not to be supposed, that a young one of that bigness had been ever brought forth; or that the dam devoured it for food, but rather that it took it in to secure it from some great danger; this account I had from two persons worthy of credit, who were eye-witnesses of the fact.

A PICKED DOG, or Hound-Fish, has a long, round tapering body, without scales. It is covered with a sharp skin, which is used to polish alabaster, arrows, &c. Its snout is long, and a little roundish at the point. It seldom weighs 20 pounds. Many of these fish are taken in the British ocean and Irish sea.

THE PORPESSE is, from the tip of its snout to the end of the tail, about three or four feet in length, and about two feet and a half thick. Its figure is somewhat long and round, continually tapering towards the tail. It is covered with a slender thin skin, not fenced with scales. The colour of the back is of a dark blue, inclining to black: from the middle of the side it begins to whiten; the belly is altogether white. Its eyes are very small. It has only three fins like the Dolphin; one on the middle of the back, and one on each shoulder; the tail is forked. When this fish is cut up, its flesh looks very much like pork. There are great numbers of Porpesses seen on the English coasts, especially in Mackerel and Herring seasons; at which time they are wont to do very great damage to fishermen, by breaking and destroying their nets to get at the fish; and sometimes so entangle and wrap themselves up in them that they are often taken. They swim but very little way at a time before they come up to breathe; and, when they come up, blow or breathe very loud, so that, in calm weather, they may be heard at a great distance. These fish will sometimes pursue their prey close to the shore, nay even in the very harbour.



THE STURGEON has a long body, with five rows of scales; two on each side, and one on the back; the scales of the upper row being greater than the rest, rise higher; of these there is no certain number. It has been observed, that some have eleven, some twelve, and others thirteen. This row is extended from the head, to the fin of the back, near the tail. The rows on the sides extend from the head to the very tail, made up of 30 sharp thorns or prickles. The lower rows, are each made up of eleven, twelve, or thirteen: all the scales of all the rows in general have on their tops a strong sharp thorn or prickle, bending backwards. Besides these five rows, it has only two scales in the middle of the belly, the rest of the belly being smooth. It has a middling head, and very small eyes. The snout is long, broad, and sharp; it has a little mouth, without teeth: it has no chaps, from whence it is manifest it feeds by sucking. The tail is cloven like the Shark's; the upper fork shoots out beyond the lower a considerable way. The upper part of this fish is betwixt a grey and a black; the belly of a silver colour. The river Sturgeons are vastly bigger than the sea ones; these not much exceeding a foot and a half, the former sometimes above fourteen feet. In the Elbe there are sometimes Sturgeons taken that weigh 200 nett pounds; and are often exposed to sale in the markets of Venice and Rome. Sturgeons are taken in the Nile, the Tanais, the Danube, and the Po. Bellonius writes that they are in the Black sea, and in the Mere of Mæotis; from which places their eggs, which are otherwise black, being carried, made up in a huge mass, salted, and put up into barrels, are sold amongst the Turks, Greeks, and Venetians; which by them is called Caviary. In Holland they cut Sturgeons in pieces, and preserve them in barrels. The flesh, thus salted and pickled is in great request with us. Sturgeons are bred in the sea, but come to their perfection in rivers. They are taken with nets, seldom or never with hooks.



## STURGEON




48

S






SILVER FISH




GOLD FISH



LADY FISH



THE PIKE





most every where in the sea about Britain, especially northward. Its flesh is excellent, both fresh and salted. The head of a large Cod, which is thick and fleshy, is, for the deliciousness of its taste, much celebrated by voluptuaries, and placed at the tables of the rich amongst their daintiest dishes.

THE SILVER-FISH is smooth, broad, and thin; of shining pearl colour. It has five small dark streaks across the broadest part of the body; two long yellow fins, one on the back, the other under the belly, from which runs a small darkish feathered fin, almost to the tail, and two small dark fins on each side the gills. It has six sharp prickles from the yellow fins towards the head, and three under the belly: has a large mouth, sharp teeth, and a marked tail.

THE GOLD-FISH is very beautiful, shaped almost like the Silver-fish, except the long fins; it is all of a gold colour, except a few black streaks: has a very large mouth, but no teeth, and its flesh is good.

THE LADY-FISH is a small sort, about three inches long, and one broad. Her fins and tail are yellow; her belly white; her back and sides marbled with yellowish brown spots, and very beautiful streaks.

THE PIKE is of a long and round body; has a plain smooth head; is covered with small close set-together scales, of a white colour, and the body on all sides sprinkled with yellowish spots, in the young ones more green. The upper jaw has no teeth; these by turns are moveable and fixed: as for example; the first moveable, the second fixed; the third moveable, the fourth fixed; and so throughout. The Pike inhabits rivers, lakes, ponds, &c. and is very common in Britain. It is no sea fish, nor often found in the mouths of rivers, unless carried thither by the force and violence of the waves, and then it is void of taste, unpleasant, and ready to putrify. From its greediness of eating, it will often disgorge its stomach of those it had taken in: sometimes it will swallow a fish not a great deal less than itself, taking the head in foremost, the tail hanging out of the mouth, and so draws it in by little and little at a time, till he has compassed the whole. The Pike is of a white, firm, dry flesh, and wholesome; the younger and older, the more esteemed.

**THE TOBACCO-PIPE-FISH** is about three or four feet in length: it has no teeth; the body is in shape something like a Snake: the skin is very slippery; the head is about a foot long: the eyes are about the size of a Filbert and like it in shape.

**THE HORN**, or Gar-fish, has a long and slender body, a very long sharp snout; the back green; sides and belly of a silver colour; and head of a bluish green. The under jaw is longer than the upper; both armed with very sharp teeth; the upper jaw is moveable. Its flesh is hard, dry and but indifferent meat.

**THE ANCHOVY** is a fish about four or five inches long; some have been seen more than a span in length. It is a long, slender fish, with a round body, transparent, unless where the back-bone hinders; and without scales. Its back is of a dusky, or a mixture of green and ash-colour; the belly of a silver colour; the nose sharp; the eyes large; the tail forked. They are taken at Venice, Genoa, &c. and preserved in barrels, salted, and so brought to Britain.

**THE OLD WIFE** is a pretty large fish. It has a very small mouth; large eyes; a great fin on the back; the body is of a deep blue; the fins are of a lighter colour; and white under the belly. The flesh of the fish is indifferent good meat.

**THE CAVALLO** is about the bigness of a Mackerel. The fins and tail are like a Dolphin's. It has a black back and white belly, with a long black streak from the gill to the middle of the tail, and large eyes.

**THE CARP** lives in rivers, ponds, &c. and arrives at a large magnitude; some have been seen above four feet in length and not only long, but for the most part the back rising from its head somewhat sharp and edged. It is covered with very large, strong, broad, scales; is of a yellowish colour, especially when come to age; the younger sort are more inclined to a dusky colour; the head is short, in proportion to the rest of the body: It has no teeth. It swims with broad fins: the tail is broad and somewhat forked, of a colour between a red and black: as is also the last fin. It has no tongue, but in the room of that nature hath given it a fleshy palate, that may relish its food. It spawns five or six times in a year. They are of a soft, moist, and clammy nature: those which live in rivers near great cities, and by the


TOBACCO PIPE FISH

42




179

43 HORN OR GARR FISH




ANCHOVY

44



OLD WIFE

45




CAVALLO

46



47

CARP










171  
MACKREL.




HERRING



SPRAT



SNELT



POGGE . 34



SEA  
GRIDGEON



LUMP FISH



means take  
withstanding  
seemed up  
re the m  
aters; tho  
e Palatina  
ound a to  
orthy of c  
at had li  
ears ago,  
ough now  
ll live a l  
THE M  
ore; the  
e tail; th  
lovely gr  
t, with b  
s small fo  
g down w  
hey swim  
mbers or  
ne; and  
the worl  
THE H  
a inches  
ge round  
t, and d  
vers. T  
hey swim  
ummal  
e incredi  
ich are  
quently  
ge num  
mmonly  
THE S  
n a yo  
his fish  
nd, eit  
e. T  
ater sol

means take in the filth of them, are of a bad juice, notwithstanding, by some epicures, they are very much esteemed upon account of their largeness and fatness; those are the most approved of, which live in rapid and pure waters; those in pools and ponds have a muddy taste. In the Palatinate, at a place called Vichelsfield, in a moat round a tower (Gesner says, he received it from a man worthy of credit) that a Carp was taken out of that place that had lived 100 years. Leonard Mascall, about 140 years ago, says, that he first brought Carps into England; though now they are common almost every where. They will live a long while out of the water.

THE MACKREL is usually about a foot in length, or more; the body is thick, firm and flesh, slender towards the tail; the snout sharp, the tail forked; the back is of a lovely green, beautifully speckled, or, as it were painted, with black strokes; the belly of a silver colour; it has small scales. It is a voracious fish, greedily swallowing down whatever fish comes in its way, that it can master. They swim together in large shoals, and are taken in great numbers on the British coasts, in the month of May and June; and are also taken, and well known in most parts of the world.

THE HERRING, a fish well known, is about nine or ten inches long, and about two and a half broad; it has large round scales; a two-forked tail; the body is of a fat, white, and delicate flesh; if eaten too greedily, apt to breed worms. The Herring is by some called the king of fish. They swim in shoals, and spawn once in a year, about the summer equinox; at which time they are best. There are incredible numbers of Herrings on the British coasts, which are caught in nets, chiefly in the day. It has been frequently observed, that after an hard gale of wind, very great numbers have been taken. Mackrels and Herrings commonly swim near the surface of the water.

THE SPRAT, by some, is thought to be no other than a young Herring; as upon the strictest comparing this fish with the Herring, little or no difference can be found, either in the external or internal parts, or in the taste. They are taken in great numbers about the winter solstice, and sold commonly by measure. Sprats



have been taken yearly about Easter time in a certain lake about Cheshire, commonly called Rostern-mere: At which place have been caught with a drag-net twenty or thirty at a time. At which time, or a little before they are taken in the lake, they are also taken in great numbers in the saltier waters below Warrington bridge, in the river Mersey; which river is washed by the sea, in which it ebbs and flows seven or eight miles below the lake.

THE SMELT is in length about eight or nine inches and one broad. The back is of a dusky colour; the belly and sides a resplendent white, or silver colour. The head and back, to a curious observer, appear sprinkled with black spots. Its flesh is soft and tender, of a delicate flavour, yielding a most agreeable scent, like that of a violet. Smelts are taken in the Thames, and other large rivers.

THE PODGE (*see fig. 34. page 180.*) is a fish about two spans long, at the most. The body, towards the head very thick; towards the tail slender and sharp. This fish is often taken in the sea that washeth the bishopric of Durham.



THE SEA GUDGEON (*see fig. 34. page 180.*) has a long and roundish body. It seldom exceeds six inches length. The colour is various: the tail and fins of a pale blue: the head is large, and has a double row of small teeth: it has two fins on the back: the tail, when extended, appears circular: it has small sharp scales: when now, as formerly, it is in great esteem amongst the Venetians.

THE LUMP, or Sea Owl, (*see fig. 36. page 180.*) is a thick, odd-shaped fish, its colour, from a blackish to a faint red, varied: the belly is red: it has no scales, but is on all sides rough with sharp black pustules, or warts; on each side it has three rows of sharp prickles; it has two fins on the back. It is taken in many places about England, and is often in the fish-markets at London. It is about a foot in length, and about ten inches broad. Its flesh is not comparable to any other fish.

THE BREAM is a broad fish, with a small head, flat snout; the top of the head pretty broad and smooth; the back bending, edging, rising sensibly from the head like a swine's. Its back is betwixt blue and black.



THE BREAM 183




SEA TORTOISE





## DRAGONS



its sides  
and lean  
sides thin  
mouth,  
out teeth  
its flesh  
lighted v  
with us  
May: th  
head wit  
five pou  
esteem.

## SEA

ous forts  
and the  
near 400  
water, o  
cannot tu  
eggs in t  
ay 50 o  
by the h  
s soon a  
eggs are  
ay two o  
The lea  
without a  
ery swe

Def

THE  
an  
oned w  
Arabia  
ift, ru  
man h  
nd of l



its sides and belly white, especially in those that are young and lean; as for those that are grown up, and fat, the sides shine with a golden colour: the belly is red. Its mouth, in proportion to its size, is very small, and without teeth. Its palate soft and fleshy, like that of a Carp; its flesh is soft and clammy. Voluptaries are most delighted with its middle part. Breams are very common with us in rivers, pools, and fish-ponds. They spawn in May: the males in spawning-time are marked about the head with white spots. They seldom weigh above four or five pounds. In March and April they are in highest esteem.

SEA TORTOISES (*see fig. 54. page 183.*) are of various sorts; all of them are good food, especially the green, and the Logger-head. Some are so large, that they weigh near 400 pounds. They are taken when sleeping on the water, or land, by turning them on their backs; for they cannot turn over again. The females go ashore, to lay their eggs in the sand, above high water mark, where they will lay 50 or 60 at a time, and cover them with sand, which by the heat of the sun are hatched; and the young ones, as soon as they are out of the shell, crawl to the sea. Their eggs are round, and about the bigness of a Hen's: they lay two or three times in a year, so that they increase vastly. The lean of the green Tortoise tastes and looks like veal, without any fishy flavour; the fat is as green as grass, and very sweet.

## A

## Description of Serpents and Insects.

## BOOK IV.

THE DRAGON, as described in the numerous fables and stories of several writers, may be justly questioned whether he exists. I have read of Serpents bred in Arabia, called *Sirenae*, which have wings, being very swift, running or flying at pleasure, and when they wound man he dieth instantly. These are supposed to be a kind of Dragons. It is said there are divers sorts of these,

which are distinguished by their countries and magnitude, and by the different form of their external parts. They are said to be bred in India and Africa; those of India are much the largest, being of an incredible length; and of these there are also said to be two kinds, one of them living in the marshes, which are slow of pace, and without combs on their heads: the other in the mountains, which are bigger, and with combs on their heads; their backs being somewhat brown, and their bodies less scaled: some of them are of a yellow, fiery colour, having sharp backs, like saws. These also have beards. When they set up their scales they shine like silver; the apples of their eyes are (as it is said) precious stones, and as bright as fire, in which it is affirmed, there is a great virtue against many diseases. Their aspect is very fierce and terrible. Some Dragons are said to have wings, and no feet; some again both feet and wings; and others neither feet nor wings, and are only distinguished from the common sort of Serpents, by the combs growing upon their heads, and their beards. Some affirm that the Dragon is black, the belly green, and beautiful; that it has a triple row of teeth in each jaw; and bright shining eyes; also two dewlaps growing under the chin, which hang down like a beard, of a red colour; and the body set all over with sharp scales; and on the neck with thick hair, much like the bristles of a wild Boar.

THE DART (*as represented in next plate*) is so called from his flying like an arrow, from the tops of trees, and hedges, upon men, by which means he stings and wounds them to death. It is bred in Lybia, Rhodes, Italy, Sicily, Germany and some other countries. It is in thickness about the bigness of a man's finger, and proportionable in length. The top of the back is black, and has two black lines in the middle, from the head to the tail: the body of an ash-colour, full of small round black spots, each spot having a circle about it like an eye; the belly is white. Of this kind, some think, was the Viper which came upon the hand of St. Paul, and that that annoyed the rebellious Israelites in the wilderness.

THE COCKATRICE (*as represented in next plate*) is called the King of Serpents, not from his bigness, but because of his majestic pace, for he does not crawl like other Serpents, but goes half upright; for while







COCKATRICE



ASP



RATTLE SNAKE



cause al  
ture del  
coronet  
this an  
is gene  
fat upo  
Cockat  
length;  
like a C  
lays th  
monste  
the wo  
half a  
four fe  
wrist,  
Cockat  
is no c  
a Wee  
and de  
mal, i  
Its poi  
fight,  
TH  
Snake  
provol  
son in  
stroak  
are tw  
out o  
grow  
two o  
it ejed  
a thin  
by wh  
which  
The  
all ou  
cedin  
said t  
not a



cause all other Serpents avoid him; and, it seems, nature designed him that pre-eminence by the crown or coronet upon his head. Some are of opinion that this animal is brought forth of a Cock's egg, which is generated of the putrefied seed of an old Cock, and sat upon by a Snake, or a Toad, and so becomes a Cockatrice. It is said to be about half a foot in length; the hinder part like a Serpent, the fore part like a Cock: others are of opinion, that the Cock that lays the egg, sits upon and hatches it himself. These monsters are bred in Africa, and some other parts of the world. Some say it is a span in compass, and half a foot long; others will have it to be three or four feet long; and some the thickness of a man's wrist, and a proportionable length. The eyes of a Cockatrice are red. Its poison is so strong, that there is no cure for it. The Cockatrice is very fearful of a Weefel, which, after it has eaten rue, will set upon, and destroy the Cockatrice. Besides this little animal, it is said no other creature can contend with it. Its poison is so infectious, that it kills by touch, by sight, and by hissing.

THE ASP is a small Serpent, like to the Land-Snake, but of a broader back. Its neck swells, when provoked, to a great degree: and if it stings any person in that passion, there can be no remedy: the stroak of its eyes is exceeding red and flaming. There are two pieces of flesh, like an hard skin, which grow out of its forehead. Its teeth are very long, and grow out of its mouth like a Boar's, and through two of the longest are little hollows, out of which it ejects its poison. These holes are covered with a thin skin, which slides up, when the Serpent bites, by which means the poison comes out of the holes, which skin afterwards returns to its place again. The scales of the Asp are hard, dry, and red, above all other venomous beasts; and, by reason of its exceeding drought, it is also accounted deaf. Asps are said to be from three to six feet in length, and some not above a foot and a half; the shortest is said to

to kill the soonest. They are bred in several countries, but chiefly in Africa, where they are most venomous, and will kill a man instantly, without any possible remedy. The Egyptians are said to shew a great veneration to these very dangerous creatures, and will not destroy them, but suffer them to come into their rooms; and when they have dined or supped themselves, always provide something for the Asps, which they will receive in a courteous manner; and, when they have done, retire without doing any harm.



THE RATTLE-SNAKE is so called from certain rattles at the end of the tail; these rattles seem like so many perished joints, being a dry husk over certain joints; and the common opinion is, that there are as many rattles or joints as the Snake is years old; they have generally eleven, twelve, or thirteen of these joints; but the young ones of a year or two old have no rattles, but they may be known notwithstanding, being regularly diced or chequered black and grey on the backs. The old snake and shiver these rattles with wonderful nimbleness; when they are any way disturbed, their bite is very deadly, yet not always of the same force, but more or less mortal, according as the Snake is in force or vigour; and therefore in June and July much worse, and more mortal, than in March and April. This Snake is a very majestic sort of creature, and will scarce middle with any thing, unless provoked; but if any thing offend it, it makes directly at it. The best method of curing its bite is to burn the part immediately.

THE SALAMANDER (*as represented in next plate*) resembles a common Lizard, but is rather larger, it has four legs, which are longer than a Lizard's, and also a tail longer than a Lizard's. It has a pale white belly, though sometimes the belly is yellowish. One part of its skin is exceedingly black, and the other yellow; both of them very bright and glittering with a black line going all along the back, where those spots are, out of which, as some writers will have it, a certain liquor or humour proceeds, which quencheth the






## SALAMANDER



VIPER



FROG



TOAD

heat-  
bred  
mar  
The  
ral a  
and r  
tion  
Pliny  
burn  
befor  
wher  
the S  
creat  
Fran  
as m  
has

T  
in le  
shar  
bod  
It is  
or y  
belly  
very  
long  
the  
seen  
they  
whi  
with  
than  
Sna  
lies  
cra  
pas  
and  
left  
so  
up  
wo



heat of fire, when it is in the same. Salamanders are bred in the Alps, and in some parts of Germany, in marshy, wet places; and are said to be cold as ice. The vulgar notion agreeing with the opinion of several ancient writers, that a Salamander can live in, and not be burnt by the fire, is without any foundation of truth, for the experiment has been tried, as Pliny affirms, and the Salamander was consumed and burnt to ashes. The truth is, as long as the humour before-mentioned runs, the fire cannot hurt it; but when that moisture is dried up, the fire consumes the Salamander, and that instantly: the bite of this creature is very deadly and fatal. It is a saying in France, that a man bit by a Salamander should have as many physicians to cure him as the Salamander has spots.

THE VIPER, or Adder, is about a foot and a half in length. The tail curled at the end, very small and sharp: the head is very broad, compared with the body; and the neck much narrower than the head. It is commonly black on the back, sometimes greenish, or yellowish: the eyes are very red, and flaming; the belly winding, upon which it goeth, and slides along very nimbly; its teeth upon the upper chap are very long, and upon either side it hath four; those upon the lower chap are so small that they can scarce be seen, except you take away a little bladder, in which they lie concealed; in this bladder it carries poison, which it instantly infuseth into the wound it makes with its teeth. The scales of a Viper are more sharp than a Snake's, and it is of a hotter nature than a Snake, and therefore lives more in the shade, and lies for the most part coiled up like a rope: it is a crafty venomous creature, biting suddenly those that pass by it. It is said, that when a Viper is thirsty, and goes to drink, she first of all voids up her venom, lest by drinking it descend into her own bowels, and so destroy herself; and when she has drunk, licks it up again. Vipers are bred in most nations of the world; those of Europe are much less than those of

many other countries. The Viper is said to conceive eggs within her, which she does not lay after the manner of other Serpents; but in her body they are hatched into living Vipers; the young ones are said also to eat their way out of their mother's belly, when she is ready to bring them forth: the bite of this creature is very dangerous, and for the most part mortal, unless instantly relieved.

OF FROGS there are two kinds; one living both on the land and in the water, and common in marshes, standing pools, running streams, and banks of rivers, but never in the sea. The other sort is found in gardens, meadows, hollow rocks, and amongst fruits. The Frog in shape very much resembles a Toad; it is without venom, and the female is greater than the male: the fore part of the tongue cleaveth to the mouth, as in a fish; the hinder to the throat, by which it sendeth forth its voice: It hath two bladders upon either side of the mouth, which it filleth with wind, and from thence proceedeth the voice: when it croaketh, it putteth its head out of the water, holding the nether lip even with the water, and the upper lip above the water; and this is the voice of the male provoking the female to lust: the hind legs are very long, which they use in leaping; the fore legs are shorter, having divided claws, which are joined together with a thin broad skin, which helpeth them in swimming: it is said, that Frogs in the winter time hide themselves in the earth, and sometimes they enter into their holes in autumn, before winter, and in the spring time come out again.

THE TOAD, (*see fig. 9. p. 190.*) is in all outward parts like unto a Frog, the fore legs being short, and the hinder long; but the body more heavy and swelling, and of a blackish colour; the skin rough, clammy, and very hard: it hath many deformed spots on it, especially on the sides: the belly exceedeth in bigness all other parts of the body, standing out in such a manner, that being hit with a stick it yieldeth a sound, as if it were from a vault, or hollow place.



The head is broad and thick. The whole aspect of the Toad is extremely unpleasant and disagreeable. The Toad does not leap as the Frog, its pace is a soft creeping pace; yet sometimes in anger it raiseth up itself, endeavouring to do mischief. If it takes hold of any thing in its mouth, it will not let go till it dies. It is said, that the Toad, well knowing the weakness of her teeth for her defence, gathereth abundance of air into her body, with which she greatly swell-eth, and then by sighing uttereth that infected air as near to the person that offendeth her as she can; and thus she worketh her revenge, killing by the poison of her breath. The Spider is a great enemy to the Toad. The Toad, when she fighteth with a Spider, is said to make use of an herb to preserve herself from its poison; of which I have read the following story: That a certain Earl travelling near Woburn in Bedfordshire, some of his company espied a Toad fighting with a Spider, under an hedge by the highway side; whereat they stood still till the Earl came also to behold the same; and there he saw how the Spider still kept her standing, and the Toad divers times went back from the Spider, and did eat a piece of an herb like a plantain; at last the Earl, having seen the Toad do it often, and still return to the combat against the Spider, ordered one of his men to go and cut off the herb; which he performed and brought away. Presently after the Toad returned to seek it, and, not finding it according to her expectation, swelled and burst asunder; for, having received poison from the Spider in the combat, nature taught her the virtue of that herb, to expel and drive it out; but wanting the herb, the poison did instantly work and destroy her.



## Description of Insects.

OF CATERPILLARS there are many different sorts; some of them are rough, hard, and stiff; some are soft, smooth, and tender; some horned either in the head or tail; others without horns: all have many feet. The Caterpillar, figure 1. is hairy, has its original from the seed of a Butterfly, which it leaves on the leaf of a nettle. It continueth changing for the space of nineteen days; and then proceeds from it a most elegant Butterfly, (*see figure 1.*) having four wings. When first the Butterfly comes forth, its wings seem like to moist, or wetted paper, from which certain small watery drops distilleth; and which seems worthy observation, in the space of half an hour they become expanded, and fit for flying. It lives on honey, that it sucks out of sweet flowers, &c. It is much delighted with corrupt fruit; for the sake of which there are often desperate battles fought between some of these species. In the winter-time, Butterflies hide themselves in the chimnies of country houses, and in hollow trees, &c. As this Caterpillar is derived from eggs of such Butterfly, so are all Caterpillars from the eggs of their respective Butterflies. The Butterfly is the insect in perfection; the Caterpillar, Grub, or Worm, are certain mimicks or disguises of it for a time, in which one and the same animal is circumvested by nature, for various uses, viz. with the disguise of a Caterpillar, that it may eat this or that food; but of a Grub or Worm, that its joints may be finished or hardened. The Caterpillar





## BUTTERFLIES





lar del  
pare i  
so lon  
Caterp  
June,  
terfly,  
terflies  
beasts.  
of Bu  
feed up  
&c. b  
quid f  
is the  
transf  
to ho  
memb  
or tab  
when  
may r  
they  
tion o  
skin, t  
ing, a  
acute  
ced in  
may b  
is the  
seen.  
12th c  
becom  
endles  
terflies  
and c  
what  
reader  
ure o

lar delights in the leaves of nettles; nor does it prepare itself for transmutation, or abstain from food, so long as this herb is in its bloom or vigour. The Caterpillar, fig. 2. begins to be changed the 23d of June, and on the 19th of July is produced a Butterfly, marked with beautiful colours. These Butterflies are found all the winter in the stables of beasts. The Caterpillars proceeding from this sort of Butterflies are extremely voracious. Caterpillars feed upon hard, dry food, such as the leaves of trees, &c. but the Butterflies on flowers, honey, and liquid food. Fig. 3. The food of these Caterpillars is the leaves of elm-trees. When the time of their transformation draws nigh, they betake themselves to houses or barns; there they fasten the hinder members of their bodies to a certain wall, board, or table, hanging with their head downwards, that when they have perfected their transmutation, they may the more easily get out of the crust or shell they are inclosed in. Before that, in the assumption of their new shape, when they put off their old skin, they seem anxiously to labour, by shaking, tossing, and tumbling, as if they were seized with an acute fever. And this wonderful change is produced in a very short space of time, insomuch that it may be distinctly seen and observed; for no sooner is the old skin laid aside, than this transfiguration is seen. This Caterpillar begins to be changed the 12th of June, and on the 30th of the same month becomes a most beautiful Butterfly. It would be an endless task to enumerate the great variety of Butterflies and Caterpillars, with respect to their colours and other different properties; but I hope, from what I have here briefly related of these Insects, the reader will be able to conceive something of the nature of the whole species in general.




THE LOUSE is a creature so officious and so impudent, that it will be intruding itself into every one's company; and so proud, that it fears not to trample on the best, and affects nothing so much as a crown; it feeds very high, and that makes it so saucy, as to pull any one by the ears that comes in its way. It is troubled at nothing so much as at a man scratching his head, which makes it oftentimes skulk into some mean place, and run behind a man's back, tho' it go very much against the hair. The figure taken by the Microscope represents it climbing on a hair, with its belly upwards. It is of a very odd shape; has an head shaped like that expressed in the figure; on either side, behind the head, are placed its two black, shining goggle eyes, looking backwards, and fenced round with several small hairs that encompass it. It has two horns, that grow before it in the place where one would think the eyes should be; each of these has four joints, which are fringed with small bristles; the head seems round and tapering, ending in a sharp nose, which seems to have a small hole, and to be the passage thro' which it sucks the blood. It hath six legs, covered with a very transparent shell, and jointed exactly like a Lobster's: each is divided into six parts by three joints, and those have several small hairs; and at the end of each leg it has two very useful claws, being thereby enabled to walk very securely both on the skin and hair. The belly seems transparent likewise; for it is grained all over, just like the skin of the palm of a man's hand.

THE FLEA appears by the Microscope to be all over adorned with a curiously polished suit of sable armour, neatly jointed, and beset with multitudes of sharp pins, shaped almost like a Porcupine's quills. The head is, on either side, beautified with a quick and round black eye. It hath six legs, the joints of which are so adapted, that he can, as it were, fold them short one with another; and when he leaps, he springs them all out, and thereby exerts his whole





LOTSE 11




FLEA 12









streng  
tween  
ed fee  
and a  
tween  
or bite

TH  
about  
wings  
cross t  
and v  
ture h  
for w  
teeth,  
with v  
the fl  
hold c  
anoth  
gener  
pierce  
t pier  
aper  
pierce  
ts po  
over  
arge,  
which  
ly th  
row  
ong  
he n  
an p  
nd c  
men  
he r  
nd  
all  
gre  
ut  
ed



strength at once. In the fore-part of his head, between the two fore-legs, he has two small long jointed feelers, or rather smellers, which have four joints, and are hairy, like those of several other creatures; between these it has a small probe. It has also two chaps, or biters, which are somewhat like those of an Ant.

THE BEE, that noble, though small insect, is about three quarters of an inch long, having four wings curiously shaped, with strong fibres round and cross them; six legs, a long head, but very small neck, and very slender in the waist or middle part. Nature hath provided it with two sorts of instruments for war and defence, viz. her mouth, wherein are her teeth, that meet side-ways, and not one over the other with which it defends itself, and assaults others; and the sting, which is in its tail. With its fangs it lays hold on robbers, which come to steal its honey, whilst another comes to its assistance with its sting, which generally carries death to any of its own kind that it pierces; and, for the most part, death to itself, when it pierces any of the human species. The sting is very taper and sharp, apt, when exerted by the Bee, to pierce the skin, or other harder body. It contains its poison about the middle of it, which may be discovered by the help of glasses. The eyes are very large, covered over with a thick horny membrane, which occasions the dimness of its sight. But to supply this defect, nature hath given it two horns, which grow above its eyes, about the tenth of an inch long, in each of which there are two joints, one in the middle, and another near the end, by which it can put them forth, when it will, to the full length, and draw them in at pleasure. These are its instruments of feeling. The tongue is much longer than the mouth will contain, and so is doubled underneath, and reacheth a good way down the breast. The body all over hairy like a Fox's, and the head too; nay, a great part of the eyes is covered with small hairs, so small, that they cannot be discerned by the naked eye, without the help of a Microscope, which will

also discover the brain in the head. Within the breast it hath a reddish flesh, with heart and lungs, proper instruments for breathing: in the hinder parts there is a gut, &c. as also a bottle or bag, in which it carries its honey, which it emptieth into the honey-comb: in this bag it often fetches water, to mix up its sandarach, or bee-bread, for the feeding its young; about which it is very careful, till they can shift for themselves: that which has commonly been called the Drone appears at length to be nothing else than the male Bee, and is about half as big again as the female, which only is the working Bee; somewhat longer, and not quite so dark-coloured about the head and shoulders; especially, his head and eyes much larger than the honey-Bee, and voice more loud and dreadful, often causing fear where no fear is; for he having no sting, cannot in the least hurt any creature, but is wholly under the dominion of the females: he is smooth about the neck, and very hairy all over his back: his tongue is shorter than the female's: neither can he work if he would, his tongue not being long enough to reach the honey out of the socketed flowers. This male Bee, or supposed Drone, is not only helpful but necessary to the females, in the managing of their young; for, by his great heat, he sits and hatches the breed, keeping the eggs warm, whilst the honey-Bees, or females, follow their delightful vocation of gathering and bringing home the honey; during which time the drone Bees are not suffered to stir from the brood; but about one or two of the clock when the chief part of the day's work is over with the Bees, most of them repairing home, take care of their own brood; and so give leave to these their obedient masculine servants to recreate themselves abroad: their heat now being no longer necessary within doors. Then you may see the male Bees throng about the mouth of the hive, flying to and fro five or six large circuits, to recreate and empty themselves, then returning again to their beloved honey, where they are for a time, especially in May and June

their chief breeding times, kindly received by their imperious dames. The forward stocks of Bees begin to breed in February; and the latter, or those that are not so lusty, leave not off till the latter end of July. So that there are six months in which Bees are bred; and the sooner they begin, the sooner they make an end; tho' generally there are more Bees bred in the two months of May and June than all the rest. It must, notwithstanding, be owned, that, according to the forwardness or backwardness of the Spring, the chief month may be sooner or later. A Bee is first an egg: this egg, which in time becomes a Bee, is exceedingly white, something bigger than the common Fly-blow, but not so long nor so big as an Ant's egg. The eggs of Bees are cast into the empty cells; not carelessly into any cell, but only the middle cells, which are always appointed for the breeding cells, while those all around the hive are reserved for the honey. The eggs of Bees, when first hatched, are Maggots before they become Bees. In the warm weather, how long soever it continues, the Bees leave their hives in quest of honey; as seeming to be sensible, that if they should lose the opportunity of gathering honey in the Spring, and cold weather should come on, especially if the stock be not very rich, many young Bees coming to hand that must be fed, and the bad weather continuing to hinder their provident mothers from working, both young and old must die together. In warm wet weather, when they cannot go abroad, they bury their dead; which they do by flying with them some distance from the hive, and dropping them. Bees hardly live above a year, or thereabouts. The bee hath several enemies, viz. The Mouse, which, in the cold weather, when the bees are not in vigour, will enter in at the mouth of the hive; and first gnaw the lowermost part of the comb, where there is but here and there a little honey; but waxing bolder as the cold weather increases, and the Bees are more still, ascends into the hive, and seizes on those combs which



are next to the sides of the hive, where commonly the richest treasure lies, will eat holes through them, and so come and go through them at pleasure; this fact of the Mouse exposes them to other enemies, viz. The Bees of other stocks, who, smelling the fresh honey, come in like thieves when a neighbour's house is on fire, not to help the distressed, but to plunder them of their remaining goods. Now, though they should be able to defend themselves against these latter enemies, yet conceiving a distaste against their hive, by reason of the detestable smell of the Mice, they take a warm day, and fly away all together, though perhaps to an equal, if not a greater, exposing themselves to death, than if they had staid at home; and have sometimes left quarts of honey behind them. The Bee hath, besides the Mouse, these enemies following, viz. the Moth, the Ear-wig, the Hornet, the Wasp, the Swallow, and the Sparrow; of which, as well as of many other things relating to the Bees, those who desire farther accounts, I refer to them who have distinctly treated of these Insects, particularly to Mr. Joseph Warder's *True Amazons, or Monarchy of Bees*; from which treatise I have extracted this account of Bees: that gentleman, from his nice, curious, and long observations on this pleasant, and no less profitable subject, being thought to have discovered more of the nature, properties, &c. of Bees, than any that went before him. The Queen Bee is of all Bees the most glorious. Her body is much bigger and longer than that of the Honey-Bee; yet the wings are no longer than the others; which shews, that she is not designed for labour, nor long flights, which is the continual business of her subjects. As for her shape and colour, her upper parts are of a lighter brown than the rest; her hinder parts from the waist, (which is very small), as it is much longer than that of the Drone or Honey-Bee, so that is much more taper than theirs. And whereas the Drone and common Bee are brown all over the hinder part, the Queen in that part is as black as



Scorpion



Grafshopper



Hornet



Spider



Flie



Gnat

Beetle



Wasp

Dragon Fly



Earwig



Ant



jet, c  
two  
are al  
under  
as fa  
the f  
as she  
ty, fo  
the e  
by ho  
the r  
and t  
than  
But  
alwa  
missi  
the c  
June  
Ther  
the l  
der a  
goro  
dere  
with  
all o  
their  
mean  
T  
The  
nom  
he f  
emb  
only  
igh  
not  
of w  
on  
me  
de  
F

jet, or polished black marble. And, whereas the two great legs of the common are quite black, her's are all as yellow as gold, as also she is all along the under part of the belly. In short, the Queen doth as far surpass her subjects in shape and beauty, as the finest Horse does the common Forester. And, as she does far surpass her subjects in shape and beauty, so she also differs from them in breeding. First, the egg of her royal Mother is cast into a cell, made by her vassals for that very purpose, different from the rest, being exactly round, much thicker in wax, and the shell proportionably to her body, much larger than those the common Bees make for themselves. But this round palace is never among other cells, but always by itself. No Monarch has a completer submission from his subjects, than the Queen-Bee from the common Bees. Bees swarm most in May and June, though sometimes in April, and often in July. There happen frequent and desperate wars amongst the Bees, one party sometimes endeavouring to plunder another of its honey; for which it will fight vigorously: But if it should so happen that the plundered Bees have lost their Queen, then they will side with the robbers, and suffer the honey to be carried all out of their hive. Sometimes Bees driven from their own hives, and seeking new quarters, by that means occasion great battles.

THE SCORPION is an Insect of Persia, &c. The coal black Scorpion is accounted the most venomous; and is, both in thickness and length, about the size of a man's finger. The body somewhat resembles an egg, and altogether is like a Craw-fish; only it has a blunter head, and a less body. It has eight legs, and two claws, a long knotted tail, which knots appear like so many little bladders; at the end of which it has a very venomous sting. Some Scorpions are said to have two stings in their tails; and some to have venomous teeth, with which they give deadly bite. It is reported, that the inhabitants of Persia do not sleep in ground rooms, for fear of



these creatures. Oil, in which Scorpions have been infused, is a present remedy for the sting of this creature. It is very remarkable concerning this insect, what an ingenious gentleman, who lived several years in Barbary, said he had many times tried; that, if it be surrounded with a circle of burning coals, it does, upon the sense of the heat, turn itself violently every way to make an escape; but finding it impossible, and the pain from the fire increasing, it strikes itself twice or thrice with the sting on the back, and immediately dies of the wounds.

DESIGNING this little book for the use of such who should not have leisure, or be willing to be at the expence of purchasing larger treatises, and having already swelled it beyond the bulk at first proposed. I have forbore to crowd it with any more particular descriptions; and shall therefore only present the reader with the figures of these following, viz. The GRASS-HOPPER, The SPIDER, The HORNET, The FLY, The GNAT, The WASP, The BEETLE, The DRAGON-FLY, The EARWIG, and the ANT.

THE END.





en  
ra-  
&  
ral  
at,  
als,  
io-  
g it  
it  
the

uch  
at  
ha-  
ro-  
ore  
ore-  
ing,  
The  
SR,  
AR-









